

**चिनाब वैली पावर प्रोजेक्ट्स लिमिटेड**

एनएचपीसी लिमिटेड (भारत सरकार का एक उद्यम) और जेकेएसपीडीसी (जम्मू एवं कश्मीर सरकार का एक उद्यम) का एक संयुक्त उद्यम

**Chenab Valley Power Projects Limited**

A Joint Venture of NHPC Ltd. (A Govt. of India Enterprise) & JKSPDC (A Govt. of J & K Enterprise)

सीआईएन/CIN: U40105JK2011GOI003321

महाप्रबंधक (प्रभारी)

**General Manager (I/c)**

परियोजना प्रमुख

**Head of Project**

No. CVPP/PDHEP/GM (I/c)/2024/1429.

Dated: 23.11.2024

**Regional Officer,**

**Ministry of Environment, Forests and Climate Change,**

**Integrated Regional Office (IRO), Jammu**

**Plot no.379-A, Gandhi Nagar**

**Jammu (J&K)-180004**

**E-mail: [env.irojkmefcc@gov.in](mailto:env.irojkmefcc@gov.in); [paranjay.s@nic.in](mailto:paranjay.s@nic.in); [iro.jammu-mefcc@gov.in](mailto:iro.jammu-mefcc@gov.in)**

**Sub: Pakal Dul HE Project (1000 MW) in District Kishtwar, J&K – Submission of Environment Clearance Compliance Report (ECCR) for the period from April, 2024 to September, 2024.**

**Ref:** Environmental Clearance granted to the Project vide letter no. J-12011/51/2007-IA dated 29.02.2008 and transferred in favor of CVPPL vide letter no. J-12011/51/2007-IA dated 12.07.2012.

Sir,

The Six Monthly Environment Clearance Compliance Report (ECCR) in respect of Pakal Dul HE Project for the period (April, 2024 to September, 2024) is being enclosed herewith for your kind information.

Thanking you,

Yours sincerely,

  
23.11.2024

**(Vishal Anand)**

**General Manager (I/c) HOP  
Pakal Dul HE Project**

**CC:**

1. Director, Impact Assessment Division-1,  
Ministry of Environment, Forests & Climate Change,  
Indira Paryavaran Bhawan, Jor Bagh Road, Ali Ganj,  
New Delhi- 110003  
Email: [yogendra78@nic.in](mailto:yogendra78@nic.in)
2. Group General Manager, Planning Division: CVPPPL, CO, Jammu.



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

Ph No.01995-295192  
Fax No. 01995-295192


**ANNEXURE-I**

**Six Monthly EC Compliance Report of Pakal Dul HE Project (1000 MW)**  
**( April, 2024 to September, 2024 )**

1	Name of Project	Pakal Dul HE Project
2	Type of Project	Hydro Electric Project
3	Clearance letters OM No. and date (a) Environment Clearance  (b) Forest Clearance	<p>(a) Letter no. J-12011/51/2007-IA dated 29.02.2008 and transferred in favour of CVPPPL vide letter no. J-12011/51/2007-IA-I dated 12.07.2012.</p> <p>(b) Government Order no. 334- FST of 2015 dated 15.12.2015 of GoJK for 146.6613 Ha land on Right Bank of river Marsudar.</p> <p>Government Order no. 289-FST 2016 dated 29.11.2016 of GoJK with Corrigendum dated 26.12.2016 for 195.9619 Ha of Forest land (188.7619 ha of former KHANP land and 7.2 ha of Forest land) on Left Bank of river Marsudar.</p> <p>Government sanction for diversion of 12.125 ha of Forest land on left bank of river Marsudar stands accorded vide Govt. order no 207-FST of 2018 dated 26.06.2018.</p> <p>Government sanction for felling of trees coming under already diverted forest land at left bank of river Marsudar stands accorded vide Govt. order no 225-FST of 2018 dated 17.07.2018.</p> <p>Government sanction for felling of trees coming under already diverted forest land at right bank of river Marsudar stands accorded vide Order No. 531-(JK) FST of 2019 dated 12.12.2019.</p> <p>Government sanction for diversion of 0.6434 ha of Forest land at left bank of river Marsudar stands accorded vide Government order no. 17(JK)FST of 2020 dated 30.01.2020.</p>

✓

7/10/24  
Mogil (2024)



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
CIN NO. U40105JK2011GOI003321


Ph No.01995-295192  
Fax No. 01995-295192

4	<b>Locations</b>  (a) District (s) (b) State/UT (c) Latitude (d) Longitude	(a) Kishtwar (b) Jammu and Kashmir (c) 33°27'30"N (d) 75°48'50"E																										
5	<b>Address for Correspondence</b>  (a) Address of concerned Project Head (with Pin code, Telephone/Fax no.)  (b) Address of concerned HOD in Corporate Office (with Pin code, Telephone/Fax no.)	(a) General Manger (I/c), Pakal Dul HE Project, CVPP Ltd., Chenab Nagar-II, Kishtwar, J&K. Pin code- 182206 Telephone: - 01995-260723 Email: hop-pdhep@cvppindia.com  (b) Managing Director, Chenab Valley Power Projects Ltd, Chenab Jal Shakti Bhawan, Opposite Saraswati Dham, Rail Head Complex, Panama Chowk, Jammu- 180012, J&K Phone/Fax: 0191 2475516/ 2479835																										
6	<b>Detail of Environmental Management Plan</b>	Environmental Management Plans to be implemented at the Project are:  <table border="1" data-bbox="751 1115 1423 1637"> <thead> <tr> <th>S. No.</th> <th>EMP</th> </tr> </thead> <tbody> <tr><td>1.</td><td>Biodiversity Conservation Plan</td></tr> <tr><td>2.</td><td>Catchment Area Treatment</td></tr> <tr><td>3.</td><td>Fisheries Development</td></tr> <tr><td>4.</td><td>Public Health Delivery System</td></tr> <tr><td>5.</td><td>Solid Waste Management</td></tr> <tr><td>6.</td><td>Provision for fuelwood/ LPG depot &amp; Energy Conservation Measures</td></tr> <tr><td>7.</td><td>Relocation &amp; Rehabilitation of Dumping sites</td></tr> <tr><td>8.</td><td>Landscaping &amp; restoration of construction areas</td></tr> <tr><td>9.</td><td>Creation of Green Belt around reservoir</td></tr> <tr><td>10.</td><td>Disaster Management Plan</td></tr> <tr><td>11.</td><td>Resettlement &amp; Rehabilitation Plan</td></tr> <tr><td>12.</td><td>Environmental Monitoring Programme</td></tr> </tbody> </table>	S. No.	EMP	1.	Biodiversity Conservation Plan	2.	Catchment Area Treatment	3.	Fisheries Development	4.	Public Health Delivery System	5.	Solid Waste Management	6.	Provision for fuelwood/ LPG depot & Energy Conservation Measures	7.	Relocation & Rehabilitation of Dumping sites	8.	Landscaping & restoration of construction areas	9.	Creation of Green Belt around reservoir	10.	Disaster Management Plan	11.	Resettlement & Rehabilitation Plan	12.	Environmental Monitoring Programme
S. No.	EMP																											
1.	Biodiversity Conservation Plan																											
2.	Catchment Area Treatment																											
3.	Fisheries Development																											
4.	Public Health Delivery System																											
5.	Solid Waste Management																											
6.	Provision for fuelwood/ LPG depot & Energy Conservation Measures																											
7.	Relocation & Rehabilitation of Dumping sites																											
8.	Landscaping & restoration of construction areas																											
9.	Creation of Green Belt around reservoir																											
10.	Disaster Management Plan																											
11.	Resettlement & Rehabilitation Plan																											
12.	Environmental Monitoring Programme																											
7.	<b>Breakup for Project area (Land details)</b>	<table border="1" data-bbox="751 1704 1423 1939"> <thead> <tr> <th colspan="2">Forest Land</th> </tr> <tr> <th>Diverted</th> <th>Under process</th> </tr> </thead> <tbody> <tr> <td>355.3916 ha</td> <td>11.34 ha</td> </tr> <tr> <th colspan="2">Private/ Revenue Land</th> </tr> <tr> <th>Acquired</th> <th>Under process</th> </tr> <tr> <td>177.8175 ha</td> <td>26.657 ha</td> </tr> <tr> <th>Total Land</th> <td>571.2016 ha</td> </tr> </tbody> </table>	Forest Land		Diverted	Under process	355.3916 ha	11.34 ha	Private/ Revenue Land		Acquired	Under process	177.8175 ha	26.657 ha	Total Land	571.2016 ha												
Forest Land																												
Diverted	Under process																											
355.3916 ha	11.34 ha																											
Private/ Revenue Land																												
Acquired	Under process																											
177.8175 ha	26.657 ha																											
Total Land	571.2016 ha																											

Jasvir  
Mngt (Em)



8	<b>Breakup of Project affected population with enumerations of those losing house/dwelling units only, agriculture land only, both house and agriculture land and landless labours/artisans.</b>  (a) SC/ST/Adivasis (b) Others	No of affected villages: - 6 Displaced PAFs: - 110 Non displaced PAFs: - 656 Total PAFs: - 766  (a) Scheduled Tribe: - 2																														
9	<b>Financial Details</b>  (a) Project cost as originally planned and subsequent revised estimates and the year of price reference (b) Actual expenditure incurred on the Project so far (c) Allocation made for Environment Management Plan (d) Actual expenditure incurred on EMP so far	(a) Project cost: 5088.88 Cr (July 2005 PL) CCEA approved: 8112.12 Cr (March 2013 PL)  (b) Actual expenditure: Rs.5006.87 Crs (till 30 <sup>th</sup> September 2024) (c) Allocations for EMP (at 2013 PL): 330.32 Crs.  (d) Actual expenditure incurred on EMP: Expenditure incurred by CVPPPL on EMP and other related activities as on date: <table border="1" data-bbox="762 1160 1423 1630"> <thead> <tr> <th>S.No</th> <th>Component</th> <th>Exp. (Rs. In Cr)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Forest and wild life Land Diversion</td> <td>207.649</td> </tr> <tr> <td>2</td> <td>Fund for Wildlife Management including corpus fund</td> <td>236.0</td> </tr> <tr> <td>3.</td> <td>Fisheries Development Plan</td> <td>3.89</td> </tr> <tr> <td>4.</td> <td>Biodiversity Management Plan</td> <td>6.52</td> </tr> <tr> <td>5.</td> <td>Implementation of R&amp;R plan</td> <td>74.09</td> </tr> <tr> <td>6.</td> <td>Disaster Management Plan/Early Warning System</td> <td>0.635</td> </tr> <tr> <td>7.</td> <td>CAT Plan</td> <td>44.465</td> </tr> <tr> <td>8</td> <td>Public Health Delivery System</td> <td>0.279</td> </tr> <tr> <td colspan="2" style="text-align: right;"><b>Total</b></td> <td><b>573.528</b></td> </tr> </tbody> </table>	S.No	Component	Exp. (Rs. In Cr)	1.	Forest and wild life Land Diversion	207.649	2	Fund for Wildlife Management including corpus fund	236.0	3.	Fisheries Development Plan	3.89	4.	Biodiversity Management Plan	6.52	5.	Implementation of R&R plan	74.09	6.	Disaster Management Plan/Early Warning System	0.635	7.	CAT Plan	44.465	8	Public Health Delivery System	0.279	<b>Total</b>		<b>573.528</b>
S.No	Component	Exp. (Rs. In Cr)																														
1.	Forest and wild life Land Diversion	207.649																														
2	Fund for Wildlife Management including corpus fund	236.0																														
3.	Fisheries Development Plan	3.89																														
4.	Biodiversity Management Plan	6.52																														
5.	Implementation of R&R plan	74.09																														
6.	Disaster Management Plan/Early Warning System	0.635																														
7.	CAT Plan	44.465																														
8	Public Health Delivery System	0.279																														
<b>Total</b>		<b>573.528</b>																														
10	<b>Forest Land Requirements</b>  (a) Status of approval diversion of Forest Land for non-forestry use	(a) Forest clearance for diversion of 146.66 Ha forest land on right bank of dam/reservoir has been accorded by GoJK on 15.12.2015. Requisite amount of Rs 17.81 Cr deposited with J&K State Forest department on 15.09.2015. Forest Clearance for diversion of 188.76 Ha forest land																														



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

**Ph No.01995-295192**  
**Fax No. 01995-295192**

	<p>(earlier KHANP land) on left bank of dam/ reservoir along with 7.2 Ha of Forest Land for underground works in Dul area has been accorded by GoJK on dated 29.11.2016. Requisite amount of Rs 178.2055 Cr deposited with J&amp;K State Forest department on 18.06.2016 and the amount of Rs. 236 Crs towards wildlife management was deposited on 19.09.2016.</p> <p>Government sanction order for additional 12.125 ha of Forest land at left bank of river Marsudar stands accorded vide Govt. order no 207-FST of 2018 dated 26.06.2018. Requisite amount of Rs 6.3083663 Cr deposited with J&amp;K State Forest department on 15.05.2018.</p> <p>Government sanction order for felling of trees coming under already diverted forest land at left bank of river Marsudar stands accorded vide Govt. order no 225-FST of 2018 dated 17.07.2018. Requisite amount of Rs 7613899/- deposited with J&amp;K State Forest department on 15.05.2018.</p> <p>Government sanction order for felling of trees coming under already diverted forest land at right bank of river Marsudar stands accorded vide Govt. Order No. 531-(JK) FST of 2019 dated 12.12.2019. Requisite amount of Rs. 1490391/- deposited with J&amp;K State Forest department.</p> <p>Government sanction order for diversion of 0.6434 ha of Forest land at left bank of river Marsudar stands accorded vide Government order no. 17(JK)FST of 2020 dated 30.01.2020. requisite amount of Rs. 505310/- deposited with J&amp;K State Forest department.</p> <p>The diversion of 11.34 ha of Forest land at Reservoir Site of the Project is under process through Parivesh Portal.</p>
--	---



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
CIN NO. U40105JK2011GOI003321

Ph No.01995-295192  
Fax No. 01995-295192

	<b>(b) The status of clear felling of trees in Forest Land</b>	(b) Clear felling status: The requisite amount of Rs 4.31413 Cr towards cost for extraction of trees has been deposited with J&K State Forest Corporation. The work of tree felling and extraction is in progress.
11	<b>Status of Construction</b> <b>(a) Date of commencement (actual and/or planned)</b> <b>(b) Date of completion (actual and/or planned)</b>	(a) Date of commencement (actual): Out of the Major project works, the Power House package was the first to be awarded on 21.02.2018. (b) Date of completion (planned): 66 months from the start of major works.
12.	<b>Reasons for the delay (If the Project is yet to be started)</b>	N.A.
13	<b>Details of Site visits</b> <b>(a) By Monitoring Committee</b> <b>(b) By Regional Office</b>	Nil Nil
14.	<b>Brief note on the status of compliance of the conditions stipulated by MOEF&amp;CC</b>	Details are enclosed as <b>Annexure-II.</b>



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

Ph No. 01995-295192  
Fax No. 01995-295192

**ANNEXURE-II**


**Status of Compliance to conditions stipulated by MOEF&CC, Govt. of India vide Environmental Clearance letter dated 29.02.2008**

S.No.	Specific Conditions	Compliance Status
i	Catchment area treatment Plan as proposed should be completed in Five years	<p>The cost provision for CAT Plan as approved by MoEF&amp;CC was Rs. 21.33 Crs which was revised in CCEA approval (Investment Approval by Gol to Rs. 36.38 Crs.) The plan is to be implemented by Soil &amp; Water Conservation Department, GoJK. Accordingly, Soil &amp; Water Conservation Department, GoJK revised the plan as per prevailing site conditions to Rs. 44.465 crores.</p> <p>The compensatory levies on account of CAT Plan amounting to Rs. 44.465 Crs. have been deposited by the Project, in the Bank Account of J&amp;K National CAMPA, through NEFT on 29.01.2024. <b>(ANNEXURE-III)</b>. The plan is under process of implementation through Soil &amp; Water Conservation Department, GoJK.</p>
ii	During the construction of the project, if any person/family whose acquired land is more than 70% of the total land holding is identified, such family/person shall be treated as fully affected families. R&R package proposed for the displaced families shall be extended to such families. NRRP-2007 package will be followed for R&R of PAFs.	<p>The RR Plan of Pakal Dul HEP has been approved by GoJK vide Government Order No's. 12-DMRR&amp;R of 2017 dated 22.02.2017 and 11-DMRR&amp;R of 2019 dated 07.03.2019. The approved R&amp;R Plan is under implementation.</p> <p>The formulation, approval and implementation of R&amp;R plan comes under the purview of State/UT Government which has adopted a uniform approach in providing the R&amp;R benefits for the PAFs of different HE projects in J&amp;K. The recommendations of MOEF&amp;CC for considering non-displaced PAFs with more than 70% of total land holdings as displaced PAFs has not been approved by the State Government for any of the HE Project so far. Hence this provision has not been considered by Government of J&amp;K in formulation and approval of R&amp;R plan for Pakal Dul HE Project. The Project had deposited an amount of Rs. 74.09 Cr. with Commissioner R&amp;R (Deputy Commissioner, Kishtwar) out of which 64.69 Cr. has been utilized by Commissioner R&amp;R for implementation of approved R&amp;R Plan of the Project <b>(ANNEXURE- IV)</b>.</p>



iii	A Monitoring Committee for R&R should be constituted which must include representatives of project affected persons from SC/ST category and a woman beneficiary.	<p>DC Kishtwar has been appointed as Commissioner, Rehabilitation and Resettlement for Pakal Dul HE Project vide Govt. Order No. 19-DMRR&amp;R of 2017 dated 16.03.2017. Constitution of R&amp;R committee is awaited.</p> <p>Monitoring committee is to be constituted by Government under the Chairmanship of Commissioner R&amp;R. The matter was discussed in the meeting of Empowered Committee held on 06.04.2018 under the Chairmanship of Chief Secretary, GoJK wherein the Committee has recommended the constitution of R&amp;R committee. The formal Government order in this regard is awaited. Moreover, Commissioner R&amp;R (D.C. Kishtwar) has again been requested by the Project for constituting the said committee vide no CVPP/PDHEP/GM(I/C)/2022/2036 dated 03.12.2022.</p>
iv	The commitment made during the public hearing should be fulfilled.	Being complied.
v	All the equipment which are likely to generate high noise levels are to be fully equipped (noise reduction measures) to meet the ambient noise control standards	<p>Being complied.</p> <p>All such machinery is well equipped to control noise pollution and regular maintenance is carried out in order to reduce noise pollution. Moreover, regular ambient noise level monitoring is carried out at construction sites. Monitoring reports are enclosed for reference (ANNEXURE-V).</p>
vi	Consolidation and compilation of the muck should be carried-out in the muck dumping sites and the dumping sites should be above high flood level. The proposed plan for 70.85 lakh cum of muck disposal i.e. about 34 lakh cum is proposed to be utilized during construction and the remaining 36.86 lakh cum of muck disposal at two designated areas (DS1-powerhouse site- 14.37 lakh cum; DS2- dam site-22.48 lakh cum) should be strictly implemented.	<p>Being complied.</p> <p>For the said period, out of excavated muck, useable muck was utilised to a maximum extent at Project and the rest of muck was disposed at designated muck disposal sites only. The details are as under:</p> <p>Total Muck Generated: 6,97,665.47 Cum Total Muck Utilised: 5,02,638.49 Cum Total Muck Disposed at Dumping Sites: 1,95,026.98 Cum</p>
vii	The fisheries management plan as proposed in the letter dated 15.01.2008 should be implemented in totality. The total budget of Rs.339.24 lakhs for the fishery development and conservation in the Marsudar river basin should not be	<p>Being complied.</p> <p>The revised Fisheries Development Plan amounting to Rs. 389.10 lakh has been approved by Fisheries Department GoJK and the same amount has been deposited by Project with Fisheries Department GoJK for implementation of</p>






**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**


Ph No. 01995-295192  
Fax No. 01995-295192

	diverted for any other purpose.	Plan. The Fisheries Department has utilized an amount of Rs. 196.0 Lakhs till now for implementation of the works under this plan ( <b>ANNEXURE-VI</b> ).
viii	The following conditions imposed by the Standing Committee of National Board for Wildlife (NBWL) while recommending the proposal for de-notification of KHANP area, shall be strictly complied:	
	(a) Provisions proposed for the habitat improvement in the Mitigation Plan should be discussed with Wildlife Institute(WII), Dehradun and be modified accordingly.	a) Complied Mitigation Plan has been prepared/ modified by J&K Wildlife Department in consultation with Wildlife Institute of India, Dehradun.
	(b) State Wildlife Department may redefine the core area of the National Park considering the human population pressure etc.	b) Complied The core area of the KHANP has been redefined vide SRO no. 212 dated 06.07.2015 of GoJK.
	(c) NHPC would provide a total of Rs.236 Crs including Rs.100 Crs. for the corpus fund for the protected area for the conservation of the wildlife.	c) Complied Final forest clearance for 195.9619 Ha land (i.e. 188.7619 ha of KHANP land and 7.2 ha of forest land) has been obtained vide Govt. Order no. 289-FST 2016 dated 29.11.2016 of GoJK for which Project has deposited Rs 414.20 Crs to Forest Dept. which includes Rs.236 Crs and also Rs.100 Crs for the corpus fund for the protected area for conservation of wildlife. The wildlife Mitigation plan is under implementation and is being implemented by Wildlife Department, GoJK. and Rs. 18.59 Cr has been utilized for the same till 31.03.2024 by the J&K Wildlife Department. ( <b>ANNEXURE-VII</b> ).
ix	No construction work/activity should be initiated till Supreme Court grants de-reservation of National Park area.	Complied vide SRO no. 212 dated 06.07.2015 of GoJK issued after grant of approval by Honorable Supreme Court.
x	Clear felling of trees should be restricted to 4 m below the FRL and a 50 m greenbelt should be created around the reservoir periphery.	Being complied. The tree cutting along the FRL is being done only in the area required for the project construction works. The process for creation of greenbelt shall be initiated at the appropriate time.



**General Conditions**

i	Adequate free fuel arrangement should be made for the labour force engaged in the construction work at project cost so that indiscriminate felling of trees is prevented.	<p>Being complied.</p> <p>Free fuel arrangements are being made by the respective contractors for their labour force engaged for Power House Works, HRT-TBM Works and Dam Works, at their own cost.</p> <p>The expenditure incurred by all contractors on account of Free Fuel Arrangements for the period April 2024 to September 2024 is Rs. 23,13,440/-</p>
ii	Fuel depot's maybe opened at the site to provide the fuel (kerosene/wood/LPG). Medical facilities as well as drinking water & recreational facilities should also be provided to the laborers.	<p>Being complied.</p> <p>Free fuel arrangements for labourers have been made by the contractors.</p> <p>Adequate drinking water and sanitation facilities have been provided by the respective contractors at residential areas of their labour force.</p> <p>Details of medical facilities established by major works contractors for their laborers and locals, at their own cost, are as under:</p> <ol style="list-style-type: none"><li><b>Dam Package (by M/s Jaiprakash Associates Limited):</b> One medical unit with one patient bed, Oxygen cylinder, other accessories for dispensary including IV Stand Sterilization, storage for the medicines, stretchers, wheel chairs etc. One light vehicle and Two Ambulance at Dam site are in operation and managed by one Doctor and four no. of Medical Assistants. The expenditure incurred for the period April 2024 to September 2024 is Rs. 28,52,661.00.</li><li><b>Power House Package (by M/s Afcons - JAL Joint Venture):</b> First Aid Centre &amp; Hospital at 3 locations and two fully equipped ambulances are functional at Power House Site of the Project. Being managed by 06 No's First Aiders and 4 Ambulance Drivers. The necessary medicines and oxygen cylinders are available at First Aid Centre. Medical facility also made available to nearby local villagers. The expenditure incurred for the period April 2024 to</li></ol>




**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

Ph No. 01995-295192  
Fax No. 01995-295192

		<p>September 2024 is Rs. 22,17,418.00.</p> <p>3. <b>HRT-TBM Package (by M/s L&amp;T Limited)</b> One first aid centre at Site is managed by 05 No's of male nurses and a doctor is also available at site. Regular health checkups and test are conducted fortnightly. The expenditure incurred for the period April 2024 to September 2024 is Rs.1,93,771.14</p> <p>4. Two no. of Ambulances have been purchased by Pakal Dul HEP and shall shortly be handed over to District Administration, Kishtwar under Public Health Delivery System Plan of EMP (ANNEXURE-VIII.)</p>
iii	All the labourers to be engaged for construction works should be thoroughly examined by health personnel and adequately treated before issuing them work permit.	Being complied.
iv	Restoration of construction area including dumping site of excavated materials should be ensured by leveling, filling up of borrow pits, landscaping etc. The area should be properly treated with suitable plantation.	Shall be complied. After completion of dumping and quarrying operations, the remediation, rejuvenation and landscaping of these sites shall be carried out by applying proper Engineering and Biological measures.
v	The total amount of Rs. 9979.29 lakhs kept in the budgetary provisions for implementation of environmental management plan should be strictly adhered and not to be diverted for any other purpose.	Being complied.
vi	A Multidisciplinary committee in consultation with the Ministry should be constituted with Ecologists, Environmental Scientists, Conservationists and experienced administrators etc. to oversee the effective implementation of the suggested safeguard measures.	Approval for Constitution of Multidisciplinary committee (MDC) for Pakal Dul HEP was accorded by MoEF&CC vide no: J-12011/51/2007-IA-I(Part) dated 10.07.2018 with amendments issued vide No. J-12011/51/2007-IA-I(R) dated 02.05. 2019. & F. No.J-12011/51/2007-IA (R) Dated 11.03.2020
vii	Six monthly monitoring reports should be submitted to the Ministry and its Regional Office, Chandigarh for review.	Being complied. Six monthly Environment Clearance Compliance Reports are being timely submitted to the Ministry and its Regional Office, Chandigarh/Jammu.The Air, Water and Noise quality monitoring reports are also enclosed as <b>Annexure-V</b> .
<b>Other Conditions mentioned in the EC Letter:</b>		




**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

Ph No. 01995-295192  
Fax No. 01995-295192

4.	Officials from Regional Office MoEF, Chandigarh who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection.	Shall be complied
5.	The responsibility of implementation of environmental safeguards rests fully with the NHPC Ltd. and Government of J&K.	Noted
6.	In case of change in the scope of the project, project would require a fresh appraisal.	There is no change in the scope of the project. Shall be complied, if required.
7.	The project involves 386.186 ha of forest land falling under KHANP. This clearance is subject to Hon'ble Supreme Court's permission with respect to de-reservation of part of KHANP.	Complied. The core area of KHANP has been redefined vide SRO no. 212 dated 06.07.2015 of GoJK in pursuance to the approval of Hon'ble Supreme Court.
8.	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary and to take action including revoking of the clearance under the provisions of the Environment (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory Manner.	Noted.
9.	This clearance letter is valid for a period of 10 years from the date of issue of this letter for commencement of construction work.	Complied.
10.	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	Complied.
12.	The project proponent should advertise within 7 days at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board / Committee and may	Complied. The requisite advertisement was published in Dainik Jagran (Hindi) and Daily Uzma (Urdu) newspapers dated 07.03.2008.



**Chenab Valley Power Projects Ltd.**  
A Joint Venture of NHPC (A Govt of India Enterprise) & JKSPDC (A Govt of J&K Enterprise)

**Pakal Dul Hydro Electric Project**  
**Chenab Nagar – II, Kishtwar, (J&K) –182206**  
**CIN NO. U40105JK2011GOI003321**

**Ph No. 01995-295192**  
**Fax No. 01995-295192**

also be seen at website of the Ministry of Environment and Forests at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> .	
---	--

*yes*

File No. NA- 1/2/2022--NA  
 Government of India  
 Ministry of Environment Forest and Climate Change  
 National Compensatory Afforestation Fund Management & Planning Authority  
 Email:-adhoc-campa-mef@nic.in  
 \*\*\*\*\*

Hall No. 1, 4th Floor  
 Block No.3, CGO Complex  
 Lodhi Road, New Delhi-110003  
 Dated: 23<sup>rd</sup> February, 2024

To,  
 The Nodal Officer-cum-APCCF (FCA)  
 O/o Pr. CCF, Government of Jammu & Kashmir  
 Forest Department

Sub: Deposition of compensatory levies on account of Catchment Area Treatment (CAT) Plan of Pakal Dul HEP of Chenab Valley Power Projects Limited-reg.


Sir,

The undersigned is directed to refer to the GSM (Env.), Chenab Valley Power Projects (CVPP), MD Secretariat's letter no. CVPPL/Plg/2024/213 dated 14<sup>th</sup> February, 2024 on the subject mentioned above and to confirm the receipt of compensatory levies of remittance of Rs. 44,46,50,000/- crore in saving account number 520101263743541 maintained in the name of "Compensatory Afforestation Fund - Jammu & Kashmir" in Corporation Bank (Now Union Bank of India), Lodhi Complex, New Delhi-110003.

2. The details with Amount, UTR no. and date of remittance is mentioned below:-

Details furnished in the letter		Date	Details as per Bank		Date	Stat us
Amount	UTR		Amount	UTR		
9,00,00,000	SBIN524029752936	29.01.2024	9,00,00,000	SBIN524029752936	29.01.2024	confi rm
9,00,00,000	SBIN524029714118	29.01.2024	9,00,00,000	SBIN524029714118	29.01.2024	confi rm
9,00,00,000	SBIN524029739518	29.01.2024	9,00,00,000	SBIN524029739518	29.01.2024	confi rm
9,00,00,000	SBIN524029725817	29.01.2024	9,00,00,000	SBIN524029725817	29.01.2024	confi rm
8,46,50,000	SBIN524029697809	29.01.2024	8,46,50,000	SBIN524029697809	29.01.2024	confi rm

3. This issues with the approval of the competent authority.



(Shivanand S. Talawar)  
 Assistant Inspector General of Forests  
 National Authority

Copy to:-

- The IGF, Forest Conservation Division, MoEF&CC.
- The PCCF&CEO CAMPA, Jammu and Kashmir Forest Department.
- Deputy Director General of Forests (C), Jammu and Kashmir Forest Department.
- Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Jammu IWDP Complex, Gladin Narwal, Near J&K Pollution Control Board, Jammu-180006.
- The Nodal Officer, Forest Conservation, J&K Forest Department.
- The GSM (Env.), Chenab Valley Power Projects (CVPP), MD Secretariat for information.
- The Branch Manager, Corporation Bank (Now Union Bank of India), Lodhi Complex, New Delhi-3 for information.



OFFICE OF THE DEPUTY COMMISSIONER  
New DC Office Complex Mini Secretariat, Kishtwar

Phone/Fax: 01995-261466/259555, E-mail: crrdcktr@gmail.com, dckishtwar-jk@nic.in



No:- DCK/24/F.No 01/27

Dt:- 13/05/2024

Utilization certificate of Pakal Dul R&R plan upto 10.05.2024

S.No	Amount received for RR plan implementation	Amount disbursed	Balance	Remarks
1.	74.90 cr.	64.69 Cr	9.40 cr.	

  
 Deputy Commissioner  
 Kishtwar

**ENVIRONMENT  
MONITORING/ TEST  
REPORTS/ PHOTOGRAPHS OF  
OTHER ACTIVITIES  
RELATED TO  
ENVIRONMENTAL  
MANAGEMENT  
  
(ANNEXURE-V)**





**HRT-TBM Package Works  
Pakal Dul Hydro Electric Project**

***Attachment 01***

*Ambient Noise Monitoring Reports of HRT-TBM Package Works of the Pakal Dul Hydro Electric Project.*



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-009	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	NOISE LEVEL (AMBIENT)		
Customer's Description of Sample#	NOISE LEVEL (AMBIENT)		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	Batching Plant		
Visual Observation	N/A		
Date of Sampling	27/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	EPA/CPCB		

### RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Lday	dB(A)	70.8	Max 75	EPA Guideline Manual July 2008
2	LNight	dB(A)	62.3	Max 70	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-010		Page No. 1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	NOISE LEVEL (AMBIENT)		
Customer's Description of Sample#	NOISE LEVEL (AMBIENT)		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061		Dated 16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team		Client Mr. Vaseem Zahir
Sampling Location#	Crusher Plant		
Visual Observation	N/A		
Date of Sampling	27/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	EPA/CPCB		

### RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Lday	dB(A)	72.7	Max 75	EPA Guideline Manual July 2008
2	LNight	dB(A)	58.3	Max 70	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-011		Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	NOISE LEVEL (AMBIENT)			
Customer's Description of Sample#	NOISE LEVEL (AMBIENT)			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	Casting Yard			
Visual Observation	N/A			
Date of Sampling	27/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	EPA/CPCB			

### RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Lday	dB(A)	69.6	Max 75	EPA Guideline Manual July 2008
2	LNight	dB(A)	53.2	Max 70	EPA Guideline Manual July 2008

# Represents details provided by the customer. \*\*End of Report\*\*

Reviewed by   
  
Dipti Jain  
Asst. Tech. Manager

Authorised signatory   
  
Karan Singh  
Tech. Mgr.

### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

- Disclaimer :
- The Test Report is only for the sample tested.
  - Samples not drawn by us unless otherwise stated.
  - Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
  - If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
  - The Test Report shall not be reproduced except in full without the written approval of the laboratory.
  - The Test Report is intended only for guidance & not for legal purpose or for advertisement.
  - The Test Report in full or parts shall not be used for promotional or publicity purpose.
  - Legal disputes are subjected to Panchkula Jurisdiction only.
  - Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
  - In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
  - In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-012	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	NOISE LEVEL (AMBIENT)		
Customer's Description of Sample#	NOISE LEVEL (AMBIENT)		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	Portal Area		
Visual Observation	N/A		
Date of Sampling	27/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	EPA/CPCB		

### RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Lday	dB(A)	66.2	Max 75	EPA Guideline Manual July 2008
2	LNight	dB(A)	50.4	Max 70	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/disciplinary in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-039	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise (Casting Yard) Cummins 500 KVA		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		



## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	71.5	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	103.9	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	78.5	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.4	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*

Reviewed by   


  
Authorised signature  


### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited


## TEST REPORT

Lab No.	011024N-E-040	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise Caterpillar 1000 KVA, DG Set. 2599022-5		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	71.5	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	102.5	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	76.9	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.6	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer. \*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-041		Page No.	1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise caterpillar 1000 KVA. 65 Banchs DG set.2599-021-7			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.6	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	103.8	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	78.2	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.6	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



Authorised signatory  
Kartar Singh  
Tech. Mgr.  
05/10/24

### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830





# Idma Laboratories Limited

## TEST REPORT


Lab No.	011024N-E-042	Page No.	1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise Caterpillar (65 Banch) 1000 KVA, DG Set. 2599-020-9		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	73.2	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	101.9	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	76.5	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.4	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-043	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise (Land-2, Caterpillar 2000 KVA, DG Set. 25020137)		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	71.9	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	104.8	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	79.6	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.2	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/disciplinaries in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-044		Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise Caterpillar (Land-2) 2000 KVA DG Set. 2502016			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.4	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	103.1	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	77.6	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.5	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT



Lab No.	011024N-E-045	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise caterpillar (Land-2) 2000 KVA, DG. Set.25020145		
Visual Observation	N/A		
Date of Sampling	29/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.6	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	101.8	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	76.5	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.3	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



#### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-046	Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise Caterpillar (Land-2) 2000 KVA, DG Set. 25020110		
Visual Observation	N/A		
Date of Sampling	29/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	71.9	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	102.5	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	77.1	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.4	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



*Kartar Singh*  
16/10/24  
Authorised signatory

### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-047		Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise Caterpillar (Land-2) 2000 KVA, DG Set. 25020129			
Visual Observation	N/A			
Date of Sampling	29/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.5	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	103.8	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	78.1	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.7	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-048		Page No. 1/1	
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise Caterpillar (Land-2) 2000 KVA, D.G. set.25020099.			
Visual Observation	N/A			
Date of Sampling	29/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	70.9	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	104.5	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	78.6	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.9	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer. \*\*End of Report\*\*



*Kartar Singh*  
05/10/24  
Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : www.idmagroup.co.in  
Email : commercial@idmalab.co.in

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/differences in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT


Lab No.	011024N-E-049		Page No.	1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise cummins (Land-2) 125 KVA, DG Set. 2570-713-9			
Visual Observation	N/A			
Date of Sampling	29/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	72.1	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	99.6	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	74.3	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.3	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830





# Idma Laboratories Limited

## TEST REPORT

Lab No.	011024N-E-050		Page No.	1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir			
Type of Sample#	Noise Level D.G.			
Customer's Description of Sample#	Noise Level D.G.			
Quantity#	01 No.			
Packing, Markings#	Instrument at Site.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	EL176WOD1000061	Dated	16/07/2021	
Date of Receipt of Sample	01/10/2024			
Period of Analysis	01/10/2024 To 05/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir	
Sampling Location#	DG Noise cummins (Portal Area) 500 KVA, DG. Set. 25961730.			
Visual Observation	N/A			
Date of Sampling	29/09/2024			
Date of Reporting	05/10/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	CPCB			

## RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	71.6	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	102.9	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	77.4	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.5	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT


Lab No.	011024N-E-051		Page No. 1/1
Customer#	Larsen & Toubro Limited Pakal Dul Hep Project (Dam Site) Chenab Nagar -II V.P.O. Dool, Tehsil & Distt. Kishtwar (J&K)-182204 Jammu & Kashmir		
Type of Sample#	Noise Level D.G.		
Customer's Description of Sample#	Noise Level D.G.		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	EL176WOD1000061	Dated	16/07/2021
Date of Receipt of Sample	01/10/2024		
Period of Analysis	01/10/2024 To 05/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Vaseem Zahir
Sampling Location#	DG Noise Crusher Plant 1000 KVA		
Visual Observation	N/A		
Date of Sampling	29/09/2024		
Date of Reporting	05/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	CPCB		

### RESULTS

S.No.	Test Parameter	Units	Result	Specifications	Test Method
	CHEMICAL DISCIPLINE ( Source Noise Level)	-	-	-	-
1	1.0 m from the enclosure surface	dB(A)	73.6	Max. 75.0	EPA Guideline Manual July 2008
2	0.5 m surface acoustic enclosure when door are open	dB (A)	105.4	--	EPA Guideline Manual July 2008
3	0.5 m surface acoustic enclosure when door are Close	dB (A)	79.6	--	EPA Guideline Manual July 2008
4	Insertion Loss	dB (A)	25.8	Min. 25	EPA Guideline Manual July 2008

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830




**HRT-TBM Package Works  
Pakal Dul Hydro Electric Project**


***Attachment 02***

*Dust Controlling Arrangements at the HRT-TBM Package Works of the Pakal Dul Hydro Electric Project.*


**Tanker Details of L&T Construction, Pakal-Dul HEP, J&K**

S. No.	Tanker Number	Tanker Capacity (KL)	Tanker Duty Route	Asset Code	Water Filling Point	Remarks
1	HR74B-0306	12	WTP to PORTAL/LAND 5	40012DVH	WTP/Land No4	Kept for Water Sprinkling on Roads & Project area as per the requirements
2	JK17A2715	12	WTP TO TAMRUCHI & Casting Yard	40012BBH	WTP/Nagra Bridge	Water Sprinkling on Roads & Project area as per the requirements
3	JK02BN8175	12	WTP to PORTAL/LAND 4/	40012KGH	WTP	Kept for Water Sprinkling on Roads & Project area as per the requirements
4	RJ14GH8356	10	WTP TO ZERO POINT/LAND 2	40013ZH	WTP	Kept for Water Sprinkling on Roads & Project area as per the requirements













HRT-TBM Package Works  
Pakal Dul Hydro Electric Project

***Attachment 03***

*Details of Solid Waste Management.*

# Project:- Pakal Dul HRT Package Kishtwar Jk Solid Waste Management Disposal



				COMMTRA				
① 21/10/2019 10:30 am	Cashly yggad	5000	Qm/2	PKL Kg	21/10/2019 10:30 am	Cashly yggad	5000	Qm/2
10:45 am	Postel	1000			10:45 am	Postel	1000	
11:55 am	Tu PRU col	1-ATA			11:55 am	Tu PRU col	1-ATA	
11:30 am	Stor	JS			11:30 am	Stor	JS	
11:30 am	Heli Red	MFB			11:30 am	Heli Red	MFB	
② 22/10/2019 10:30 am	Cashly yggad	5000	Qm/2		② 22/10/2019 10:30 am	Cashly yggad	5000	Qm/2
10:30 am	Postel	1000			10:30 am	Postel	1000	
11:00 am	Tu PRU col	JS			11:00 am	Tu PRU col	JS	
11:30 am	Stor	JS			11:30 am	Stor	JS	
11:30 am	Heli Red	MFB			11:30 am	Heli Red	MFB	
③ 23/10/2019 10:30 am	Cashly yggad	5000	Qm/2		③ 23/10/2019 10:30 am	Cashly yggad	5000	Qm/2
10:30 am	Postel	1000			10:30 am	Postel	1000	
11:20 am	Tu PRU col	JS			11:20 am	Tu PRU col	JS	
11:40 am	Stor	JS			11:40 am	Stor	JS	
11:30 am	Heli Red	MFB			11:30 am	Heli Red	MFB	
④ 24/10/2019 10:30 am	Cashly yggad	5000	Qm/2		④ 24/10/2019 10:30 am	Cashly yggad	5000	Qm/2
10:30 am	Postel	1000			10:30 am	Postel	1000	
11:00 am	Tu PRU col	JS			11:00 am	Tu PRU col	JS	
11:30 am	Stor	JS			11:30 am	Stor	JS	
11:30 am	Heli Red	MFB			11:30 am	Heli Red	MFB	
⑤ 25/10/2019 10:30 am	Cashly yggad	5000	Qm/2		⑤ 25/10/2019 10:30 am	Cashly yggad	5000	Qm/2
10:30 am	Postel	1000			10:30 am	Postel	1000	
11:00 am	Tu PRU col	JS			11:00 am	Tu PRU col	JS	
11:30 am	Stor	JS			11:30 am	Stor	JS	
11:30 am	Heli Red	MFB			11:30 am	Heli Red	MFB	



**HRT-TBM Package Works  
Pakal Dul Hydro Electric Project**

***Attachment 04***

*Details of Safety Gears (Personal Protective Equipment) provided for the period Aug-2024 to Sep-2024.*

**Project:- Pakal Dul HRT Package Kishtwar JK**  
PPE provided at site



## RECONCILIATION REPORT OF SAFETY MATERIAL

FTM: Aug - Sep 2024

Safety items issued to sub contractors & site team

### PROJECT: PAKAL DUIL HRT

sr.no.	CONTRACTOR NAME	SAFETY Shoes	Gum boot	REFLECTIVE Jacket	SAFETY Helmet	Nose Mask	Cotton CR Gloves	Dotted Gloves	Rubber Gloves	Leather Gloves	Black Goggles	Clear Goggles	Ear Plug	Ear Muffs	Welding Helmet	Welding Aproo Belt	Safety Coat W	Rain Coat W	Main Coats	Cation Tap	Mine rescuer	Fire Bucket	Fire Extn	Umbrella
1	ICM Developers pvt ltd	96	8	55	25	380	450	100	150	0	0	50	0	50	0	0	0	0	0	0	0	0	0	0
2	SHAKUNTALA DEVI	28	0	25	0	50	100	0	120	0	0	5	0	10	0	0	0	0	0	0	0	0	0	0
3	KEVAL KRISHAN	17	0	22	25	50	300	0	500	68	20	0	0	0	0	0	0	0	0	0	0	0	0	0
4	RATTAN LAL	45	0	18	7	50	500	0	600	58	10	5	0	0	0	0	0	0	0	0	0	0	0	0
5	Kishori Lal	26	0	30	15	0	0	71	120	0	0	30	0	20	0	0	0	0	0	0	0	0	0	0
6	Irshad Ahmed	10	0	12	10	250	100	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Joginder Kumar	12	0	1	10	20	0	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Saurabh Kumar Chauhan	54	0	0	0	70	0	0	510	45	0	15	20	0	0	0	0	0	0	0	0	0	0	0
9	Seema Parihar	8	0	11	0	20	0	0	60	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
10	MOHD ASHRAF LONE	120	0	60	55	430	520	210	312	0	0	14	60	250	0	0	0	0	0	0	0	0	0	0
11	DES RAJ	0	0	0	0	0	0	0	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	BUDHI SINGH	5	7	25	10	250	450	82	220	0	0	9	0	22	0	0	0	0	0	0	0	0	0	0
13	NEERAJ KUMAR	29	12	70	22	350	0	96	310	0	0	20	0	55	0	0	0	0	0	0	0	0	0	0
14	Seri Chand	34	2	58	18	100	0	0	60	0	0	4	50	45	0	0	0	0	5	0	0	0	0	0
15	BITU Ram	0	0	0	0	50	0	24	120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	Sunder Singh Bhandari	20	6	0	3	50	48	0	36	0	0	2	0	15	0	0	0	0	0	0	0	0	0	0
17	MOHD YOUSUF	6	0	0	0	17	0	0	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	Doyan Engineering RSW	151	12	112	52	150	18	0	384	12	55	25	240	5	15	45	6	25	0	0	0	0	0	0
19	Casting yard team	0	0	0	0	0	500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	AP ENGINEERING SERVICES	43	23	25	15	100	40	18	45	0	0	2	0	5	0	0	0	0	0	0	0	0	0	0
21	Precision Entp	12	0	12	12	20	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	FINETECH CONSTRUCTION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	Shree Krishna Enterprise	10	0	10	10	15	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	Infinity Construction	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	Ashaa Construction	55	0	35	6	30	36	0	117	0	0	0	30	0	0	0	0	0	0	0	0	0	0	0
26	Varsha infra	25	2	8	14	50	60	25	73	25	10	5	25	2	0	5	0	0	0	0	0	0	0	0
27	TBM Team	0	0	0	0	450	0	0	450	17	10	25	650	0	0	0	0	0	0	0	0	0	0	0
28	L&T Staffs	58	14	47	56	200	0	0	556	20	17	31	21	22	0	13	0	0	16	0	45	0	0	0
29	EHS Dept	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32	0	20	25	0
30	Dumping Area	0	0	0	0	100	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0
31	Store team	5	0	0	0	0	50	200	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
32	Visiter PPE	10	5	10	12	100	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>TOTAL</b>		<b>882</b>	<b>91</b>	<b>646</b>	<b>377</b>	<b>3352</b>	<b>3242</b>	<b>826</b>	<b>5062</b>	<b>245</b>	<b>122</b>	<b>244</b>	<b>1096</b>	<b>501</b>	<b>15</b>	<b>63</b>	<b>6</b>	<b>30</b>	<b>16</b>	<b>62</b>	<b>45</b>	<b>20</b>	<b>25</b>	<b>2</b>

Prepared & Verify by : Mr. Vseem Zahir  
(Project EHS Incharge)



**HRT-TBM Package Works  
Pakal Dul Hydro Electric Project**

***Attachment 05***

*Patients' Records maintained at L&T's site dispensaries.*

Sl. No.	Name of Candidate	Registration No.	Date	Time	Signature	Compulsary	Electronics / Mechanic	Signature
172)	Chanderpal Singh	d47	14.10.2024	08:35 AM		% Siswa benar dari ad daga continuous	Fis. Pasafan - 5000 Lis. Dip. x - DT - 2000 Fis. Omprade - 2000	
174)	Shakouh Ahmad	d47 / R20	14.10.2024	08:35 AM		% Headache.	Bs. Analisa - AT Cp. Omprade - 2000	
175)	Ravi Rani.	d47	14.10.2024	08:40 AM		% Diamana, Gakras Ruben	Fis. doped Fis. Waku - 150	
176)	Mansoor Ahmad	Billy Rani	14.10.2024	08:45 AM		% Bodyache, Adit.	Cp. Omprade - 20 Lis. Dip. - 100	
177)	Sarab Sahu	d47 / R20	14.10.2024	10:05 AM		% P4, Srucey, Srucey	Fis. Pasafan - 500 Fis. Dip. - 100 Fis. C. L. - 10	
178)	Hudson Ahmad.	d47	14.10.2024	10:25 AM		% Upper back pain subtle	Dji. Dickfeur Fis. Dip. - 100	
179)	Mohd. Yusuf.	Reshale del	14.10.2024	10:50 AM		% Headache	Fis. Pasafan - 500	
180)	Abdul Hafid	Abnraf dinc	14.10.2024	12:00 PM		% Diamana, Headache	Fis. Dip. - 100	
181)	Raj Mohd.	Shankaras	14.10.2024	12:05 PM		% Bodyache.		
182)	Abulhak	Ramint Chander	14.10.2024	08:05 PM		% P4, Curaw, bod yache	Fis. Dip. - 500 Fis. Dip. - 500 Fis. Dip. - 150 Fis. Dip. - 150	

Sl. No.	Name of Patient	Complaints	Treatments Administered	Signature
142	Qudus Khan	Headache severe Nausea, vomiting	Tab. Analgesic - forte Cip. Ranitidine - 150mg Tab. Oxidant - 100	Qudus
143	Abdul Rashid	C/O Headache	Tab. Paracetamol - 500	Qudus
144	Mohd Yasin	C/O Headache & Dizziness BP 110/70 mmHg	Tab. Analgesic 150mg Tab. Paracetamol 500 O.R.S	M.Y.
145	Mirzaal Singh	C/O Fever & loose motion BP 100/70 mmHg	Tab. Nilip plus Tab. Amityl - F Tab. Analgesic 150mg	M.S.
146	Mohd Sabir	C/O Headache	Tab. Meclizine 60mg O.R.S	SABIR
147	Shabaz Ahmed	C/O Epigastric pain	Tab. Amityl - F Tab. Spasmod	Shabaz
148	Mohd Aslam	C/O Trismus on left hand	Tab. Paracetamol 500 M. Ciprolox 500mg	Aslam
149	Farooq Ahmed	C/O Stomach wind body	Tab. Ciprolox	Farooq
150	Kristian Mandul	C/O Body ache & fever	M. Nilip plus M. Ciprolox 500mg	Aslam
151	Pramanesh	C/O Headache	Tab 86m Analgesic 2 Paracetamol 500mg	Aslam
152	Sushan Carol	C/O Vomiting	Tab. Paracetamol 500	Qudus

Sl. No.	Name of Patient	Signature	Date	Time
142	Qudus Khan	Qudus Khan	11-10-24	11:05 AM
143	Abdul Rashid	Helper	11-10-24	02:23 AM
144	Mohd Yasin	Sweeper	11-10-24	10:20 AM
145	Mirzaal Singh	Pipe line fitter	11-10-24	10:40 AM
146	Mohd Sabir	Helper	11-10-24	10:30 AM
147	Shabaz Ahmed	Driver	11-10-24	11:20 AM
148	Mohd Aslam	Mason	11-10-24	11:35 AM
149	Farooq Ahmed	Semifield	11-10-24	2:00 PM
150	Kristian Mandul	Driller	11-10-24	2:20 PM
151	Pramanesh	Driller	11-10-24	2:20 PM
152	Sushan Carol	Helper	11-10-24	5:50 PM



Case No	Name of Patients	Address	Occupation	Date	Complaints	Treatments / Medicines	Signature
167	Revindhu Kumar	13-10-2024	Senior Chargehand	13-10-2024	Eye itching & rxn	Used Cylax-D Eye Drl. Tab. Chlorine - 10	
168	Alfred Kumar	13-10-2024	Partner/Helper	13-10-2024	Diarrhea, Stomachache.	Tab. d. d. d. - 10 Tab. Cylax-T2 - 10 Tab. Spasmod - 10	
165	Small	13-10-2024	Partner	13-10-2024	RT Foot Thumb Pain due to dt by C.I. Pipe, at 11:00-11.	Used Spacy Tab. Dabulid - 10 Cap. Novamax-S10 - 10	
166	Raj Mohd.	13-10-2024	Helper	13-10-2024	RT Foot Ankle bit the fast to get injured. to bring at 11:00-11.	Used Spacy. Tab. Dabulid - 10 Syr. Dileforce - 10	
167	Khar Singh	13-10-2024	Helper	13-10-2024	Older face non-accid with chokkor dt.	Cap. Novamax-S10 - 10 Tab. Dabulid - 10	
168	Singh Gupis.	13-10-2024	Shop Own	13-10-2024	Arms like due to heavy work in dumbell.	Used Spacy. Tab. Dabulid - 10	
169	Poochie del.	13-10-2024	Helper	13-10-2024	Abd. Pain	Tab. Spasmod - 10 Cap. Omeprazole - 10	
170	Muthu	13-10-2024	Supplier	13-10-2024	Weakness, Constipation	Tab. Parafan-S10 - 10 Tab. Abac - 10	
171	Dharm	13-10-24	Sp. chms	13-10-24	to Testosterone, Abact	Tab. Strogic Plus - 10 Tab. Novamax S10 - 10	
172	Raman Nataro	13-10-24	Helper	13-10-24	Woes, Pain, Acidity	Tab. Parafan S10 - 10 Tab. Albesim waf - 10 Tab. Abac - 10	

Sl. No.	Name of Patients	Complaints / Visit	Designation	Date	Time
193	Mund	d+T	med. Charge	15.10.2024	10:40 AM
194	Azed Hunnis	Newj Ramon Helpere		15.10.2024	11:20 AM
195	Chandrasekhar Singh	d+T	Geologist	15.10.2024	02:15 PM
196	Pawing	d+T, I, S, D	I, S, D	15.10.2024	04:15 PM

Sl. No.	Complaints	Prescription / Treatment	Signature
90	Fever, sore throat, cat. (96%)	Fas. Paracetamol-500	[Signature]
88	9068	Fas. Chantax-cold	[Signature]
87	964F		
86	964F		
85	964F		
84	964F		
83	964F		
82	964F		
81	964F		
80	964F		
79	964F		
78	964F		
77	964F		
76	964F		
75	964F		
74	964F		
73	964F		
72	964F		
71	964F		
70	964F		
69	964F		
68	964F		
67	964F		
66	964F		
65	964F		
64	964F		
63	964F		
62	964F		
61	964F		
60	964F		
59	964F		
58	964F		
57	964F		
56	964F		
55	964F		
54	964F		
53	964F		
52	964F		
51	964F		
50	964F		
49	964F		
48	964F		
47	964F		
46	964F		
45	964F		
44	964F		
43	964F		
42	964F		
41	964F		
40	964F		
39	964F		
38	964F		
37	964F		
36	964F		
35	964F		
34	964F		
33	964F		
32	964F		
31	964F		
30	964F		
29	964F		
28	964F		
27	964F		
26	964F		
25	964F		
24	964F		
23	964F		
22	964F		
21	964F		
20	964F		
19	964F		
18	964F		
17	964F		
16	964F		
15	964F		
14	964F		
13	964F		
12	964F		
11	964F		
10	964F		
9	964F		
8	964F		
7	964F		
6	964F		
5	964F		
4	964F		
3	964F		
2	964F		
1	964F		

S.No	Name of Patient	Age	Discharge	Date	Time	Complaint	Treatment
153	Ashish Kumar	38y	Att. Mufja	11-10-24	6:10 PM	C/O RTI & cough Sore throat	Tel. Niciplos Tel. Ciplox 500mg Sp. Amoxicillin
154	Indrajit Singh	30y	Helper	11-10-24	6:10 PM	C/O URTI	Tel. Ciplox 500mg Tel. Simvastatin
155	Fareed Hussain	30y	Helper	11-10-24	6:10 PM	C/O Fever & cough	Tel. Ciplox 500mg Tel. Amoxicillin
156	Rajni Kumar Sharma	37y	Asst. charge	11-10-24	7:30 PM	C/O Transient chest churn	ij. Diclofenac Tel. Glucobact
157	Kamal Singh	35y	Att. Mufja	11-10-24	08:15 AM	C/O Back ache due to one sided sleeping	Used Spargy Tel. Nicip - 100 Tel. Simvastatin - 10
158	Haseebul Singh	35y	Helper	11-10-24	08:15 AM	C/O Skin allergy	Tel. Mometasone LC
159	Santosh Hussain	35y	Helper	12-10-24	07:30 AM	C/O Stomachache, Bloating	Cap. Omeprazole Tel. Simvastatin
160	Lucky	30y	Helper	12-10-24	9:00 AM	C/O URTI	Tel. Ciplox 500mg Tel. Amoxicillin Cap. Diclofenac Cap. Omeprazole
161	Dr. Raj	40y	Helper	23-10-24	11:30 AM	C/O Cold, Flu, Fever	Tel. Chlorzoxiprone Tel. Paracetamol - 500
162	Firdous Ahmad	45y	Att. Mufja	23-10-24	12:30 PM	C/O Nose bleeding one sided BP = 120/90 mmHg def. side chest pain	Cap. Phenylin Cap. Phenylin - 100

Sl. No.	Name of Patient	Complaints	Treatment Prescribed	Signature
183	Madan Singh	% Skin, itching, Hives	Tab. Paracet-500 Tab. Chlorine	Thuram
184	Alaxand Singh	% Bodyache, fever	Tab. Paracet-500 Tab. 2. Proc-01-500 Tab. Chlorine	AMS
185	Ajay Kumar	% lower back Pain	Used spray Tab. Aludis-500	Sharma
186	D. Upadhyay	% Bodyache.	Tab. Aludis-500	
187	Arif Jome	% Toothache.	Tab. Aludis-500	Arif
188	Ganesh Singh	% Eye itching and Gastric Problem	Cap. Ome-500 Used Colfax-5 Eye Drop.	
189	Krishan Kumar	% URTI, Abdominal	Tab. Ciplox 500-A Tab. Mefen 500-1	
190	Kamlesh Singh	% Cough	Tab. Chlorax-10	
191	Beetle	% Itch and Hand Pain more cut.	Dermol. Tab. Chlorax-cold	Dr. Gupta
192	Anurag Khatwani	% Openly dist 03 days continuously	Tab. Dipad ORS	
		Age: 96/1. RR: 70/4	Aludis-500	AMS
		BP: 170/80 mmHg	Tab. Diloc-150	
		Bodyache, Hives, loss of Appetite.		

Sl. No.	Name of Patient	Complaints	Date	Time
183	Madan Singh	Hypertension	14.10.2024	04:30P
184	Alaxand Singh	Flu	14.10.2024	05:00P
185	Ajay Kumar	Hypertension	14.10.2024	02:15P
186	D. Upadhyay	Flu	14.10.2024	03:20P
187	Arif Jome	Flu	14.10.2024	07:20P
188	Ganesh Singh	Flu	14.10.2024	01:20P
189	Krishan Kumar	Flu	14-10-24	9:45PM
190	Kamlesh Singh	Flu	15.10.2024	08:45AM
191	Beetle	Flu	15.10.2024	09:00AM
192	Anurag Khatwani	Flu	15.10.2024	09:40AM

Sl. No	Name of Patient	S/A Name	Designation	Date	Time	Age	Place	Complaints	Treatments/Medicines
77	Kalle Das	Maha-kami	Driver	07-08-24	7:10 PM	36		C/o Headache & Gastritis	- Tab. Dolo 650 (3) - Cap. Orlis 2mg (2)
78	Za Kir Hussein	Maha-kami	Driver	07-08-24	7:13 PM	33		C/o Fever & Body Ache BP 100/70 mm Hg	- Tab. Nicip Plus (2) - Cap. Novamar 500 (3)
79	Mangud Rom	Maha-kami	Driver	07-08-24	7:18 PM	37		C/o Fever & Body Ache	- Tab. Paracip 500 (2) - Tab. Aclon 15mg (2)
80	Yaris Hassan	Rufan da Puteh	Motor Puteh	07-08-24	9:00 PM	38	Butoh Yaris	C/o. Rumen distri	- Tab. Mifentisin (6) - Tab. St. J. 100 (6)
81	Fauzy Ahmad	Rufan da Puteh	Driver	08-08-24	9:10 PM	37	Butoh Yaris	C/o Rumen & Analgesia	- Tab. Orlis 2mg (3) - Tab. Aclon 15mg (3)
82	Mohd Rafiq	Rufan Puteh	CSF Operator	08-08-24	6:50 AM	40	NTF	C/o. Stomach Pain & Gastritis	- Tab. Orlis 2mg (3) - Tab. Aclon 15mg (3)
82	Bonne Rom Bahu	Lat staff	Barber Plant Off.	08-08-24	9:02 AM	57	Casting Daid	C/o Tooth Ache	- Tab. Nicip Plus (3) - Cap. Novamar 500 (3)
83	Mohd Ismail	Yasmy	Helper	08-08-24	11:02 AM	21	Casting Yas	C/o Headache & Dizziness BP 100/70 mm Hg	- Tab. Dolo 650 (4) - Orlis (1) - Tab. Lincice (2)

BP 140/85 mmHg  
SpO2 93%  
Pulse 68/min

Cy. Superforn.  
Sp. H. H. (A)

Cap. Orlis 2mg (3)  
Tab. Mifentisin 500 (6)

SNO	Name of Patient	S/O Name	Designation	Time	Date	Time	Place	Complaints	Examination/Investigation
128	Sudesh Kumar	K. Kishu	Sup	18-08-24	18:30M	20	City	Body ache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
129	Ravi Kumar	Ravi	Helper	18-08-24	18:30M	31	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
130	Rangayya Sup	S. K. Chidambaram	Sup	18-08-24	8:30Pm	46	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
131	Ch. Anant	Rambhadr	Helper	18-08-24	6:00 pm	22	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
132	Mend Chinnam	Raju	Assistant Admin	18-08-24	6:30Pm	24	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
133	Sybil Kumar	Ravi	Electrician	18-08-24	7:30Pm	42	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
134	Danesh	Ravi	Welder	18-08-24	7:50Pm	24	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
135	Sonu Kumar	Ravi	Operator	18-08-24	8:15Pm	47	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓
136	Mali Lal	Ravi	PTM	18-08-24	12:50Pm	15	City	Headache	7 tabs. Nuro-Pas (2) ✓ 7 tabs. Nuro-Pas (2) ✓

SNo	Name of Patient	Sp. Name	Diagnosis	Date	Time	Place	Case/Notes	Ref
95	Mudalavar P. S.	R. Krishna	Monon	09-08-24	8:27 AM	Casting	C/o Fever & Body Ache - Feb. Dolo 65mg (2) - Cap. Novamon 500mg (2)	MSR
96	Ashf. Srinivas	Ratan	Welder	09-08-24	9:11 AM	Casting	C/o Back Pain	MSJ
97	Jayavada Gupta	U.T. Staff	RM	09-08-24	10:25 AM	Casting	C/o Constipation & Gastritis	MSJ
98	Ashif	R. Krishna	Welder	09-08-24	10:50 AM	Casting	C/o (R) foot Burn with Iron Rod	MSJ
99	Ashif Kumar	ESW	De. opt	09-08-24	11:30 AM	Casting	C/o Headache BP 169/100 mm Hg	MSJ
100	Satish Kumar	ESW	Welder	09-08-24	11:32 AM	Casting	C/o weakness BP 110/70 mm Hg	MSJ
101	Iyengar Ashish	Driver	Driver	09-08-24	11:36 AM	---	C/o RTI	---
102	Pavani Ahmed	Rattan Lal	Supv.	09-08-24	11:50 AM	Casting	C/o Headache & Dizziness BP 109/80 mm Hg	MSJ
103	Ashar	Driver	Driver	09-08-24	1:25 PM	Casting	C/o Headache & Gastritis	MSJ
104	Magboob	RSW	BOT opt.	09-08-24	4:17 PM	Casting	C/o Gastritis	MSJ
105	V. rod Kumar	K. Krishna	Rigger	09-08-24	4:23 PM	Casting	C/o Gastritis	MSJ

Sl. No	Name of Patient	Sl. No	Name	Designation	Admission Date	Discharge Date	Time	Work Place	Com. Diseases	Treatments/Medicines	Sp
84	Bansh Kumar	SB Singh	Helper	08-08-24	08-08-24	12:20 PM	28	Casting Yard	c/o VRTI	- Tab. Cheston Cold (4) - Tab. Ceflor Soony (4)	Sandak
85	Rajesh Kumar	Rsw	Electrician	08-08-24	08-08-24	3:10 PM	28	Casting Yard	c/o Dental Pain	- Tab. N.rip Plus (2) - Cap. Novamorsung (3)	Diets
87	Fais al-Sir	Let Staff	Asst. Mang.	08-08-24	08-08-24	3:17 PM	-	Casting Yard	c/o R.T.I.	- Tab. Levopozom (4) - Cap. Qcid 20 (4)	-
88	Badiy Hussain	SB Singh	Helper	08-08-24	08-08-24	3:24 PM	24	Casting Yard	c/o Abdominal Pain BP 110/70 mm Hg	Tab. Norplex 12 (2) - Cap. Acid 20mg (2) - Tab. Spasmed (2) - Inj - Supraspms 10/10ml (1)	<del>Diets</del>
89	Zahir Hussain	Scema Parihar	Helper	08-08-24	08-08-24	4:20 PM	26	Casting Stand	c/o Itching on (Rt) ear & face	- Tab. Avil 25 (3)	ZAKIR
90	Omidov	Rsw	C.N.C. Opt.	08-08-24	08-08-24	4:40 PM	22	Casting Yard	c/o Trauma on (Rt) hand small finger	- Tab. Digeic Plus (3) Inj. Inalcont (4)	Diets
91	Wasim Ahmad	K. Krishna	Welder	08-08-24	08-08-24	5:11 PM	30	Casting Yard	c/o Headache & Dizziness	- Tab. Mnest. forte (2)	Diets
92	Ab. Rajoom	Des. Raj	Helper	08-08-24	08-08-24	5:17 PM	30	Casting Yard	c/o Low Back Pain	- Tab. Digeic Plus (2) - Tab. Ailloc 30mg (2)	ADOL
93	Vinod Kumar	K. Krishna	Rigger	08-08-24	08-08-24	6:55 PM	40	Casting Yard	c/o Gastritis	- Tab. Ailloc 30mg (2)	Diets
94	Ram. Babu	Rudra. Ad	Welder	08-08-24	08-08-24	10:00 PM	35	Casting Yard	c/o Prolyzed	- Tab. Niny Plus (2) - Tab. Pofantam (2)	Diets



**SNo**   **Name of Patient**   **Specimen**   **Designation**   **Date**   **Time**   **Age**   **Complaints**   **Treatment/History**

66	Bashir Ahmed	Young	Helper	07-08-24	9:28 AM	40	Casting Yard	c/o Fever & Body Ache BP 130/80 mm Hg	Tab. Paracetamol 500mg (2) - Cap. Novamox 500mg (3) (B)
67	Magboob Ahmed	Rsw	EOT opt	07-08-24	10:30 AM	44	Casting Yard	c/o Headache & Erythema	- Tab. Dolo 650mg (2) - Cap. Orid 20mg (2)
68	Ram Rattan	Rsw	For Driver	07-08-24	12:20 PM	45	Casting Yard	c/o Loose motion	- Tab. Loperamide (1) - Tab. Norfloxacin (2)
69	Sudami Raj	Rattan Lal	Helper	07-08-24	3:10 PM	38	Casting Yard	c/o Cold & Fever Temp 99.7°F	- Tab. Smanit (4) - Cap. Lofex 500mg (3)
70	Wasim Sir	Lt + Staff	Safety Mang.	07-08-24	3:19 PM	-	-	c/o Headache & Chills BP 110/70 mmHg	- Tab. Niacip Plus (4) - Tab. Zupreva 200 (1) - ORS - (1)
71	Thapa Sir	Lt + Staff	Senior Mang.	07-08-24	3:12 PM	-	Casting Yard	c/o Itching on (R) foot	- Tab. Montelukast (3)
72	Vijay Kumar	Rsw	EOT opt.	07-08-24	4:55 PM	34	Casting Yard	c/o Back Pain	- Tab. Paracetamol 500mg (2) (B) - Cap. Novamox 500mg (4)
73	Mansoor Ahmed	Rsw	Driver	07-08-24	5:32 AM	34	Casting Yard	c/o Minor Cut on (R) hand	- Tab. Niacip Plus (3) (B) - Cap. Novamox 500mg (4)
74	Vinod Kumar	Rsw	Welder	07-08-24	5:34 PM	42	Casting Yard	c/o Itching on both arm	- Tab. Avid 25 (2) (B)
75	Ajiaz Hujan	SBS Bhagh	Welder	07-08-24	5:40 PM	21	Casting Yard	c/o Mouth Ulcer	- Tab. Becasolan (8) (B)
76	Aslam	Driver	Ambs. Driver	07-08-24	5:55 PM	-	Casting Yard	c/o Headache & BP 100/70 mmHg	- Tab. Dolo 650 (4) - ORS - (1)

No.	Name	Address	Phone	Time	Service	Notes	Signature
172)	Chaudhary Singh	d-47	14.10.2024	08:30 AM	Dredging	1% Sinar Perseor dan ad daga continuous	10
174)	Shikhan Ahmed	d-47/RSK	14.10.2024	08:35 AM	Regas	9% Headache	10
175)	Ravi Rishi	d-47	14.10.2024	08:40 AM	Pem/mekansu	1% Diamica, Gastero Rubba Ls. dobad Ls. Rula-10	10
176)	Munawar Ahmad	Killy Rm	14.10.2024	08:45 AM	Helpdesk	1% Bodyache, Abdt. Bag- 9771	10
177)	Saeed Khan	d-47/RSK	14.10.2024	10:00 AM	Electrician	1% P4, Sincry, Malyahad	10
178)	Hedira Ahmed	d-47	14.10.2024	10:15 AM	Belvo Driver	1% Upper back pain, subtle	10
179)	Mohd. Yusuf	Reside d-47	14.10.2024	10:15 AM	Helpdesk	1% Headache	10
180)	Abdul Adif	Rehraf d-47	14.10.2024	12:00 PM	Microsof	1% Diuretic, Headache RIP = 100%	10
181)	Raj Mohd	Shankaras	14.10.2024	12:05 PM	Helpdesk	1% Bodyache	10
182)	Abulh	Remot Chabir	14.10.2024	02:05 PM	Wind Tanker	1% P4, Peran, bodyache RIP = 100%	10
						1% Diamica, Gastero Rubba Ls. dobad Ls. Rula-10	10
						1% Bodyache, Abdt. Bag- 9771	10
						1% P4, Sincry, Malyahad	10
						1% Upper back pain, subtle	10
						1% Headache	10
						1% Diuretic, Headache RIP = 100%	10
						1% Bodyache	10
						1% P4, Peran, bodyache RIP = 100%	10

Sl. No.	Name of Patients	Organizations	Date	Time
143	Shahid Farooq	Paramedical	10-10-24	11:00 AM
144	Abdul Raheem	Helper	11-10-24	07:00 AM
145	Mohd Yasin	Sweeper	11-10-24	10:10 AM
146	Minal Singh	Badminton	11-10-24	10:40 AM
147	Mohd Sabir	Helper	11-10-24	10:30 AM
148	Shahid Ahmed	Driver	11-10-24	11:20 AM
149	Mohd Aslam	Mason	11-10-24	1:35 PM
150	Farooq Ahmed	Security Guard	11-10-24	2:00 PM
151	Kristan Mandul	Driller	11-10-24	2:20 PM
152	Praman kashish	Driller	11-10-24	2:25 PM
153	Bushan Oud	Helper	11-10-24	5:50 PM

Sl. No.	Complaints	Treatments/Interventions
91	Headache severe	Tas. Mungs - 100mg
92	Headache	Cy. Paracetamol - 500mg
93	Headache	Tas. Paracetamol - 500mg
94	Headache	Tas. Paracetamol - 500mg
95	Headache	Tas. Paracetamol - 500mg
96	Headache	Tas. Paracetamol - 500mg
97	Headache	Tas. Paracetamol - 500mg
98	Headache	Tas. Paracetamol - 500mg
99	Headache	Tas. Paracetamol - 500mg
100	Headache	Tas. Paracetamol - 500mg
101	Headache	Tas. Paracetamol - 500mg
102	Headache	Tas. Paracetamol - 500mg
103	Headache	Tas. Paracetamol - 500mg
104	Headache	Tas. Paracetamol - 500mg
105	Headache	Tas. Paracetamol - 500mg
106	Headache	Tas. Paracetamol - 500mg
107	Headache	Tas. Paracetamol - 500mg
108	Headache	Tas. Paracetamol - 500mg
109	Headache	Tas. Paracetamol - 500mg
110	Headache	Tas. Paracetamol - 500mg
111	Headache	Tas. Paracetamol - 500mg
112	Headache	Tas. Paracetamol - 500mg
113	Headache	Tas. Paracetamol - 500mg
114	Headache	Tas. Paracetamol - 500mg
115	Headache	Tas. Paracetamol - 500mg
116	Headache	Tas. Paracetamol - 500mg
117	Headache	Tas. Paracetamol - 500mg
118	Headache	Tas. Paracetamol - 500mg
119	Headache	Tas. Paracetamol - 500mg
120	Headache	Tas. Paracetamol - 500mg

Sl. No.	Name of Patient	Address	Age	Admission Date	Discharge Date	Diagnosis	Treatment / Medication	Remarks
137	Revindur Kumar	...	...	13.10.2024	14.10.2024	Eye Stiffy & rxn	Used Cipro-D Eye Drop. Tab. Chlorine	10
138	...	...	...	13.10.2024	14.10.2024	Diarrhea, Stomach.	Tab. diploz	10
139	...	...	...	13.10.2024	14.10.2024	...	Tab. Ciprox-Tz	10
140	...	...	...	13.10.2024	14.10.2024	...	Tab. Sparomed	10
141	...	...	...	13.10.2024	14.10.2024	RT Foot Thumb Pain	Used Spray Tab. Squalid-Base	10
142	...	...	...	13.10.2024	14.10.2024	due to dt by C.I. gas, rt pam-19.	Cap. Novamex-500	10
143	...	...	...	13.10.2024	14.10.2024	RT Foot Ankle	Used Spray Tab. Squalid-Base	10
144	...	...	...	13.10.2024	14.10.2024	hit the foot & got injured. 3 Pains at Pam-T.	By. Dicyclene	10
145	...	...	...	13.10.2024	14.10.2024	Older face non-accid with chakra dtc.	Cap. Novamex-500 Tab. Squalid-Base	10
146	...	...	...	13.10.2024	14.10.2024	Arrow like dark kasy white in dumbell.	Used Spray Tab. Squalid-Base	10
147	...	...	...	13.10.2024	14.10.2024	...	Tab. Sparomed	10
148	...	...	...	13.10.2024	14.10.2024	...	Cap. Cmei-dng	10
149	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan-500	10
150	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
151	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
152	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
153	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
154	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
155	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
156	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
157	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
158	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
159	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
160	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
161	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
162	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
163	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
164	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
165	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
166	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
167	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
168	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
169	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
170	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
171	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
172	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
173	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
174	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
175	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
176	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
177	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
178	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
179	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
180	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
181	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
182	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
183	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
184	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
185	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
186	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
187	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
188	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
189	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
190	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
191	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
192	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
193	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
194	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
195	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
196	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10
197	...	...	...	13.10.2024	14.10.2024	...	Tab. Parafan 500	10
198	...	...	...	13.10.2024	14.10.2024	...	Tab. Ache-150	10
199	...	...	...	13.10.2024	14.10.2024	...	Tab. Squalid-Base	10
200	...	...	...	13.10.2024	14.10.2024	...	Tab. Novamex 500	10

Sl. No.	Name of Patient	Address	Med. History	Date	Time
193	Ramesh Chandra	15.10.2024	med. digest	15.10.2024	10:4 AM
194	Ramesh Chandra	15.10.2024	Help	15.10.2024	11:30 AM
195	Chandrasekhar Singh	15.10.2024	Geologist	15.10.2024	08:15 PM
196	Pooja	15.10.2024	IOD	15.10.2024	04:15 PM

Sl. No.	Name of Patient	Address	Med. History	Date	Time
197	Prakash	15.10.2024	Comp. links	15.10.2024	10:4 AM
198	Prakash	15.10.2024	Comp. links	15.10.2024	10:4 AM
199	Prakash	15.10.2024	Comp. links	15.10.2024	10:4 AM
200	Prakash	15.10.2024	Comp. links	15.10.2024	10:4 AM

No.	Name of patient	Phone no.	Date	Time	Complaint	Treatment	Exp.	
153	Acheth Kumar	Lot T	Ad. Singh	11-10-24	6:10 PM	C/O RTI & cough Soggy	Teg. Nicyplos Teg. Ciplox 500mg Sp. Ambrilid 5	CD D D
154	Indrajit Singh	Buddi Singh	Helpar	11-10-24	6:15 PM	C/O UETI	Teg. Ciplox 500mg Teg. Simvast	CD CD Under Track
155	Fareed Hussain	Ashraf Iqbal	Helpar	11-10-24	6:45 PM	C/O Fever & cough	Teg. Ciplox 500mg Teg. Algecalcil	CD CD FD
156	Rajin Kumar Sharma	Lot T	Adit. Singh	11-10-24	7:25 PM	C/O Trauma on hand Limb	by Diclofenac Teg. Glucobact	CD CD Bleeding
157	Kamal Singh	Lot T	Ad. Singh	11-10-24	08:15 PM	C/O Back side Neck Pain due to one sided sleeping	Used Spary. Teg. Nicip - 100 Teg. Budes - 6.25	CD CD CD
158	Khandajit Singh	Lot T / RSU	Ad. Singh	11-10-24	08:15 PM	C/O Skin Itchy	Teg. Moxidex - 10	CD
159	Sanjay Hussain	Ad. Singh	Helpar	11-10-24	07:30 PM	C/O Stomachache, G.I. problem	Cap. Omnesoy Cap. Spasmod	CD CD CD
160	Lulay	Lot T / RSU	Sahetya	12-10-24	9:00 PM	C/O UETI	Teg. Ciplox 500mg Teg. Algecalcil Cap. Nicardipine Cap. Omnesoy	CD CD CD CD
161	Dr. Raj	Ad. Singh	Helpar	12-10-24	11:30 AM	C/O Cold / Flu, Fever	Teg. Citrine Teg. Paracet - 500	CD CD
162	Fareed Hussain	Lot T / RSU	Ad. Singh	12-10-24	12:30 PM	C/O Nose bleeding one sided BP = 120/90 mmHg dext side chest pain	Cap. Pseudo - 100 Cap. Pseudo - 100	CD CD

No.	Name of patient	Phone no.	Date	Time	Complaint	Treatment	Exp.	
153	Acheth Kumar	Lot T	Ad. Singh	11-10-24	6:10 PM	C/O RTI & cough Soggy	Teg. Nicyplos Teg. Ciplox 500mg Sp. Ambrilid 5	CD D D
154	Indrajit Singh	Buddi Singh	Helpar	11-10-24	6:15 PM	C/O UETI	Teg. Ciplox 500mg Teg. Simvast	CD CD Under Track
155	Fareed Hussain	Ashraf Iqbal	Helpar	11-10-24	6:45 PM	C/O Fever & cough	Teg. Ciplox 500mg Teg. Algecalcil	CD CD FD
156	Rajin Kumar Sharma	Lot T	Adit. Singh	11-10-24	7:25 PM	C/O Trauma on hand Limb	by Diclofenac Teg. Glucobact	CD CD Bleeding
157	Kamal Singh	Lot T	Ad. Singh	11-10-24	08:15 PM	C/O Back side Neck Pain due to one sided sleeping	Used Spary. Teg. Nicip - 100 Teg. Budes - 6.25	CD CD CD
158	Khandajit Singh	Lot T / RSU	Ad. Singh	11-10-24	08:15 PM	C/O Skin Itchy	Teg. Moxidex - 10	CD
159	Sanjay Hussain	Ad. Singh	Helpar	11-10-24	07:30 PM	C/O Stomachache, G.I. problem	Cap. Omnesoy Cap. Spasmod	CD CD CD
160	Lulay	Lot T / RSU	Sahetya	12-10-24	9:00 PM	C/O UETI	Teg. Ciplox 500mg Teg. Algecalcil Cap. Nicardipine Cap. Omnesoy	CD CD CD CD
161	Dr. Raj	Ad. Singh	Helpar	12-10-24	11:30 AM	C/O Cold / Flu, Fever	Teg. Citrine Teg. Paracet - 500	CD CD
162	Fareed Hussain	Lot T / RSU	Ad. Singh	12-10-24	12:30 PM	C/O Nose bleeding one sided BP = 120/90 mmHg dext side chest pain	Cap. Pseudo - 100 Cap. Pseudo - 100	CD CD

Age	Sex	Species	Location	Time	Notes
8yr	♂	Spotted Owl	Spine, Emily, Huchua	04:30P	1. Paracet-500 — 1.5 2. Citra — 1.0
8yr	♀	Spotted Owl	Bodyache, fever	05:10P	1. Paracet-500 — 1.0 2. Citra — 1.0 3. Dolo — 1.0
10yr	♀	Spotted Owl	down back pain	07:10P	Used spray 1. Abus — 1.0
8yr	♀	Spotted Owl	Bodyache	07:30P	1. Abus — 1.0
8yr	♀	Spotted Owl	toothache	07:30P	1. Abus — 1.0 2. Dolo — 1.0
8yr	♀	Spotted Owl	Eye itching and Gastric Problem	07:30P	1. Once-dose 2. Used Citra — 1.0
10yr	♀	Spotted Owl	UPPER Abdominal	07:40P	1. Tab ciplox 500 — 1.0 2. Tab metfu 500 — 1.0
8yr	♀	Spotted Owl	Cough	08:45P	1. Tab. Oker — 1.0
8yr	♀	Spotted Owl	flu and hand pain more w/c	09:00P	Dormin 1. Tab. Citra-cold — 1.0 2. Dolo — 1.0
11yr	♀	Spotted Owl	Opening dust as days continuously	09:10P	1. Tab. dolo — 1.0 2. ORS — 1.0
11yr	♀	Spotted Owl	Age: 9yr. OR: 70yr	09:10P	1. Aramis — 1.0 2. Tab. Dolo — 1.0
11yr	♀	Spotted Owl	Bodyache, headache, loss of appetite	09:10P	1. Dolo — 1.0 2. Phrenol — 1.0

Age	Sex	Species	Location	Time	Notes
183	♂	Spotted Owl	Walter	14.10.2024	04:30P
184	♂	Spotted Owl	Pipe Ahr	14.10.2024	05:10P
185	♂	Spotted Owl	Shankar Das	14.10.2024	07:10P
186	♂	Spotted Owl	D. Upadhyay	14.10.2024	07:30P
187	♂	Spotted Owl	Adf dom	14.10.2024	07:30P
188	♂	Spotted Owl	Santhan Singh	14.10.2024	07:30P
189	♂	Spotted Owl	Akash Kumar	14.10.24	07:40P
190	♂	Spotted Owl	Pratik Nig	15.10.2024	08:45P
191	♂	Spotted Owl	Varad	15.10.2024	09:00P
192	♂	Spotted Owl	Raj Travel	15.10.2024	09:10P

***Attachment 06***

*Details of arrangements for controlling dust emission from roads.*



**Tanker Details of L&T Construction, Pakal-Dul HEP, J&K**

S. No.	Tanker Number	Tanker Capacity (KL)	Tanker Duty Route	Asset Code	Water Filling Point	Remarks
1	HR74B-0306	12	WTP to PORTAL/LAND 5	40012DVH	WTP/Land No4	Kept for Water Sprinkling on Roads & Project area as per the requirements
2	JK17A2715	12	WTP TO TAMRUCHI & Casting Yard	40012BBH	WTP/Nagra Bridge	Water Sprinkling on Roads & Project area as per the requirements
3	JK02BN8175	12	WTP to PORTAL/LAND 4/	40012KGH	WTP	Kept for Water Sprinkling on Roads & Project area as per the requirements
4	RJ14GH8356	10	WTP TO ZERO POINT/LAND 2	40013JZH	WTP	Kept for Water Sprinkling on Roads & Project area as per the requirements



HRT-TBM Package Works  
Pakal Dul Hydro Electric Project

***Attachment 07***

*Report on housekeeping drives conducted at sites.*

**Project:- Pakal Dul HRT Package Kishtwar Jk**  
Housekeeping drive conducted at site





# Idma Laboratories Limited



TC-8207

## TEST REPORT

Lab No.	200624L-ED-001/A		Page No.	1/2
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	20/06/2024			
Period of Analysis	20/06/2024 To 25/06/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Batching Plant (Sewarbatl)			
Visual Observation	N/A			
Date of Sampling	18/06/2024			
Date of Reporting	25/06/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

## RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	74.3	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	34.1	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	12.8	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	16.7	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m <sup>3</sup>	27.1	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m <sup>3</sup>	23	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m <sup>3</sup>	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m <sup>3</sup>	<8	Max. 20	EPA/625/R-96/010a

*Renu Hans*  
Reviewed by  
Renu  
Sr. Analyst  
Idma Laboratories Limited  
Panchkula

*Pankaj Singh*  
Authorised signatory  
Pankaj Singh  
Tech. Mgr.  
Idma Laboratories Limited  
Panchkula

### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827.



# Idma Laboratories Limited



## TEST REPORT

Lab No.		200624L-ED-001/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
9	Lead	µg/m <sup>3</sup>	0.11	Max. 1.0	EPA/625/R-96/010a	

# Represents details provided by the customer.

\*\*End of Report\*\*

*Renu Sharma*  
 25/06/24  
 Reviewed by  
 Renu  
 Sr. Analyst  
 Idma Laboratories Limited  
 \* Authorised Signatory \*

*25/06/24*  
 Authorised signatory  
 Panchkula

### Idma Laboratories Limited

Idma Corporate Park,  
 391, Industrial Area, Phase - 1,  
 Panchkula - 134113,  
 Haryana (India)  
 Tel No. 0172 - 5064827, - 5064830  
 Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
 Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	200624L-ED-001/B	Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	20/06/2024		
Period of Analysis	20/06/2024 To 25/06/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Batching Plant (Sewarbat)		
Visual Observation	N/A		
Date of Sampling	18/06/2024		
Date of Reporting	25/06/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.58	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m <sup>3</sup>	2.1	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m <sup>3</sup>	<0.9	Max. 01	IS 5182 (Part 12)

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827,- 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 5064827/5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.	200624L-ED-002/A		Page No.	1/2
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	20/06/2024			
Period of Analysis	20/06/2024 To 25/06/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Adit to HRT			
Visual Observation	N/A			
Date of Sampling	18/06/2024			
Date of Reporting	25/06/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	72.1	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	37.4	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	12.9	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	14.6	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m <sup>3</sup>	26.8	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m <sup>3</sup>	24	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m <sup>3</sup>	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m <sup>3</sup>	<8	Max. 20	EPA/625/R-96/010a

Reviewed by  
  
 Sr. Analyst  
 25/06/24

Authorised signatory  
  
 Tech. Mgr.  
 Panchkula  
 25/06/24

### Idma Laboratories Limited

Idma Corporate Park,  
 391, Industrial Area, Phase - 1,  
 Panchkula - 134113,  
 Haryana (India)  
 Tel No. 0172 - 5064827, - 5064830  
 Website : www.idmagroup.co.in  
 Email : commercial@idmalab.co.in

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172-5064827.



# Idma Laboratories Limited



## TEST REPORT

Lab No.	200624L-ED-002/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m <sup>3</sup>	0.11	Max. 1.0	EPA/625/R-96/010a

# Represents details provided by the customer.

\*\*End of Report\*\*

*Renu Sharma*  
*25/6/24*  
Reviewed by

*Kartar Singh*  
*25/6/24*  
Authorised signatory

### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827/5064830





# Idma Laboratories Limited

## TEST REPORT

Lab No.	200624L-ED-002/B	Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	20/06/2024		
Period of Analysis	20/06/2024 To 25/06/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Adit to HRT		
Visual Observation	N/A		
Date of Sampling	18/06/2024		
Date of Reporting	25/06/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.55	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m <sup>3</sup>	<2.0	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m <sup>3</sup>	<0.9	Max. 01	IS 5182 (Part 12)

# Represents details provided by the customer.

\*\*End of Report\*\*



Reviewed by



Authorised signatory

### Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172



# Idma Laboratories Limited



## TEST REPORT

Lab No.	200624L-ED-003/A		Page No.	1/2
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	20/06/2024			
Period of Analysis	20/06/2024 To 25/06/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Power Intake Gate Saft			
Visual Observation	N/A			
Date of Sampling	18/06/2024			
Date of Reporting	25/06/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	76.2	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	36.8	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	13.7	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	19.3	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m <sup>3</sup>	24.1	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m <sup>3</sup>	23	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m <sup>3</sup>	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m <sup>3</sup>	<8	Max. 20	EPA/625/R-96/010a

Reviewed by  
*Renu Sharma*  
Analyst  
Authorised Signatory

Authorised signatory  
*Tanveer Azad*  
Tech. Mgr.  
Panchkula

### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172



# Idma Laboratories Limited



TC-8207

## TEST REPORT

Lab No.		200624L-ED-003/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
9	Lead	µg/m <sup>3</sup>	0.13	Max. 1.0	EPA/625/R-96/010a	

# Represents details provided by the customer.

\*\*End of Report\*\*

*Renu Sharma*  
Reviewed by

*Renu Sharma*  
Authorised signatory

### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827, 5064830



# Idma Laboratories Limited


## TEST REPORT

Lab No.	200624L-ED-003/B	Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	20/06/2024		
Period of Analysis	20/06/2024 To 25/06/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Power Intake Gate Saft		
Visual Observation	N/A		
Date of Sampling	18/06/2024		
Date of Reporting	25/06/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.59	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m <sup>3</sup>	2.1	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m <sup>3</sup>	<0.9	Max. 01	IS 5182 (Part 12)

# Represents details provided by the customer. \*\*End of Report\*\*



Reviewed by



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panichkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827, - 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panichkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.	200624L-ED-004/A		Page No.	1/2
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	20/06/2024			
Period of Analysis	20/06/2024 To 25/06/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Batching Plant (HRT)			
Visual Observation	N/A			
Date of Sampling	18/06/2024			
Date of Reporting	25/06/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	75.1	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	34.8	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	12.7	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	17.5	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m <sup>3</sup>	26.6	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m <sup>3</sup>	24	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m <sup>3</sup>	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m <sup>3</sup>	<8	Max. 20	EPA/625/R-96/010a

Reviewed by  
  
 Anshu Sharma  
 Authorised Signatory

Authorised signatory  
  
 Karan Singh  
 Tech. Mgt.  
 Authorised Signatory

### Idma Laboratories Limited

Idma Corporate Park,  
 391, Industrial Area, Phase - 1,  
 Panchkula - 134113,  
 Haryana (India)  
 Tel No. 0172 - 5064827, - 5064830  
 Website : www.idmagroup.co.in  
 Email : commercial@idmalab.co.in

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 - 5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.		200624L-ED-004/A			Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m <sup>3</sup>	0.12	Max. 1.0	EPA/625/R-96/010a

# Represents details provided by the customer.

\*\*End of Report\*\*



### Idma Laboratories Limited

Idma Corporate Park,  
391, industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)  
Tel No. 0172 - 5064827,- 5064830  
Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)  
Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827, 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	200624L-ED-004/B	Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakai Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	20/06/2024		
Period of Analysis	20/06/2024 To 25/06/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Batching Plant (HRT)		
Visual Observation	N/A		
Date of Sampling	18/06/2024		
Date of Reporting	25/06/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

## RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.61	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m <sup>3</sup>	2.1	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m <sup>3</sup>	<0.9	Max. 01	IS 5182 (Part 12)

# Represents details provided by the customer.

\*\*End of Report\*\*



Reviewed by



Authorised signatory

### Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 **Page 20 of 53**



# Idma Laboratories Limited



## TEST REPORT


Lab No.	300924L-ED-032/A		Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in Polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	30/09/2024			
Period of Analysis	30/09/2024 To 07/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Power Intake Gate Shaft			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	07/10/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	78.1	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	36.9	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	15.6	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	16.7	Max. 80	IS 5182 (Part 6)

# Represents details provided by the customer.

\*\*End of Report\*\*



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172-5064827 / 5064830





# Idma Laboratories Limited

## TEST REPORT

Lab No.	300924L-ED-032/B		Page No. 1/1	
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in Polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	30/09/2024			
Period of Analysis	30/09/2024 To 07/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Power Intake Gate Shaft			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	07/10/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.53	Max. 02	IS 5182 (Part 10)

# Represents details provided by the customer.

\*\*End of Report\*\*

Reviewed by  
*Dipti Jain*  
07/10/24

Authorised signatory

*Kartar Singh*  
07/10/24

### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.	300924L-ED-033/A		Page No. 1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in Polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	30/09/2024		
Period of Analysis	30/09/2024 To 07/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Batching Plant (Sewer Batl)		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	07/10/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	77.2	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	35.8	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	16.3	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	18.4	Max. 80	IS 5182 (Part 6)

# Represents details provided by the customer.

\*\*End of Report\*\*

Reviewed by  
07/10/24



Authorised signatory  
07/10/24



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172-5064827/5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	300924L-ED-033/B	Page No. 1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir	
Type of Sample#	Ambient Air	
Customer's Description of Sample#	Ambient Air	
Quantity#	01 No.	
Packing, Markings#	Filter Paper Packed in Polythene Pouch.	
Mode of Collection of Sample	Sampling by Laboratories	
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated 01/04/2024
Date of Receipt of Sample	30/09/2024	
Period of Analysis	30/09/2024 To 07/10/2024	
Sampling Team	Idma Representative Team	Client Mr. Tanveer Azad
Sampling Location#	Batching Plant (Sewer Bati)	
Visual Observation	N/A	
Date of Sampling	28/09/2024	
Date of Reporting	07/10/2024	
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013	
Testing Protocol	NAAQS	

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.59	Max. 02	IS 5182 (Part 10)

# Represents details provided by the customer.

\*\*End of Report\*\*

*Dipti Jain*  
Reviewed by

*Kartar Singh*  
07/10/24  
Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.	300924L-ED-034/A		Page No. 1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in Polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	30/09/2024		
Period of Analysis	30/09/2024 To 04/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Adit to HRT		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	04/10/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m <sup>3</sup>	76.8	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	36.7	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	14.2	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	18.4	Max. 80	IS 5182 (Part 6)

# Represents details provided by the customer. \*\*End of Report\*\*

Reviewed by  
28/04/10/24



04/10/24  
Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,  
391, Industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complain/discipencies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	300924L-ED-034/B		Page No.	1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in Polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	30/09/2024			
Period of Analysis	30/09/2024 To 04/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Adit to HRT			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	04/10/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.61	Max. 02	IS 5182 (Part 10)

# Represents details provided by the customer.

\*\*End of Report\*\*

Reviewed by  
04/10/24



Authorised signatory



### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172-5064827, 5064830



# Idma Laboratories Limited



## TEST REPORT

Lab No.	300924L-ED-035/A		Page No. 1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	01 No.		
Packing, Markings#	Filter Paper Packed in Polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	30/09/2024		
Period of Analysis	30/09/2024 To 04/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Batching Plant HRT		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	04/10/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)				
1	PM 10	µg/m <sup>3</sup>	76.8	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m <sup>3</sup>	36.4	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m <sup>3</sup>	14.9	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m <sup>3</sup>	19.2	Max. 80	IS 5182 (Part 6)

# Represents details provided by the customer. \*\*End of Report\*\*

04/10/24  
Reviewed by



04/10/24  
Authorised signatory



**Idma Laboratories Limited**

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

#### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172-5064827/5064830



# Idma Laboratories Limited

## TEST REPORT

Lab No.	300924L-ED-035/B		Page No.	1/1
Customer#	Jalprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	01 No.			
Packing, Markings#	Filter Paper Packed in Polythene Pouch.			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024	
Date of Receipt of Sample	30/09/2024			
Period of Analysis	30/09/2024 To 04/10/2024			
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad	
Sampling Location#	Batching Plant HRT			
Visual Observation	N/A			
Date of Sampling	28/09/2024			
Date of Reporting	04/10/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

### RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m <sup>3</sup>	0.59	Max. 02	IS 5182 (Part 10)

# Represents details provided by the customer.

\*\*End of Report\*\*

Reviewed by  
*[Signature]*  
04/10/24

Authorised signatory  
*[Signature]*  
04/10/24



### Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172-5064827.



# Idma Laboratories Limited



## TEST REPORT

Lab No.	300924L-ED-036		Page No. 1/1
Customer#	Jaiprakash Associates Ltd. Pakal Dul Hydro Electric Project (Dam Package), Dang Duru, Teh: Dachhan, District-Kistwar J&K -182204 Jammu & Kashmir		
Type of Sample#	NOISE LEVEL (AMBIENT)		
Customer's Description of Sample#	NOISE LEVEL (AMBIENT)		
Quantity#	01 No.		
Packing, Markings#	Instrument at Site.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	JAL/PAKAL/2024-25/WO/18	Dated	01/04/2024
Date of Receipt of Sample	30/09/2024		
Period of Analysis	30/09/2024 To 04/10/2024		
Sampling Team	Idma Representative Team	Client	Mr. Tanveer Azad
Sampling Location#	Working Power Intake Gate Shaft		
Visual Observation	N/A		
Date of Sampling	28/09/2024		
Date of Reporting	04/10/2024		
Sampling Protocol	CPCB PROTOCOL:2015		
Testing Protocol	EPA/CPCB		

### RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Lday	dB(A)	73.7	Max 75	EPA Guideline Manual July 2008
2	LNight	dB(A)	58.1	Max 70	EPA Guideline Manual July 2008

# Represents details provided by the customer. \*\*End of Report\*\*

28/04/2024  
Reviewed by



04/10/24  
Authorised signatory



**Idma Laboratories Limited**

Idma Corporate Park,  
391, industrial Area, Phase - 1,  
Panchkula - 134113,  
Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : [www.idmagroup.co.in](http://www.idmagroup.co.in)

Email : [commercial@idmalab.co.in](mailto:commercial@idmalab.co.in)

### Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at [testing@idmagroup.co.in](mailto:testing@idmagroup.co.in) or call at 0172-5064827.





**GOVERNMENT OF JAMMU & KASHMIR**  
**OFFICE OF THE ASSISTANT DIRECTOR FISHERIES DISTRICT KISHTWAR**

Tel: 01995-2950455  
 Email ID: [adfkr@gmail.com](mailto:adfkr@gmail.com)

The Deputy General Manager,  
 (Geo-Env) Pakal-Dul HEP  
 Kishtwar

No: ADF/Ktr/Bata/2023-24/ 388-91

Dated: 27-03-2024

Subject: - Physical and Financial progress regarding implementation of  
 Fisheries Dev. Plan Pakal-Dul HE Project.

Ref:- Your office No: CVPP/PDHEP/Env./2023-24/2277 Dated:-20-03-2024.

Sir,


Kindly refer to the subject and reference cited above in this connection it is to submit that your Agency has released an amount of Rs. 389.10 lacs to Directorate of Fisheries J&K Govt. under EMP of Pakal Dul HEP for establishment of Trout Rearing Unit Bata Wardwan. And the Directorate of Fisheries has in turn released Rs.196.00 lacs so far to this office for implementation of the project. And the remaining amount of Rs. 193.10 lacs still lies with the Directorate of Fisheries J&K. The amount (Rs. 196.00 lacs) so received stands released/utilized by this office as per the following breakup:-

S.No.	Particulars	Amount.
01	Released to PWD (R&B) Division Marwah for execution of Construction work.	Rs.150.65 lacs.
02	Released to Addl.Deputy Commissioner Kishtwar on a/c of land compensation.	Rs.10.00 lacs
03	Utilization for purchase of Vehicles( 02 Nos)	Rs. 24.61 lacs
04	Utilization as Administrative Charges.	Rs. 05.50 lacs
05	Utilization for Survey and Investigation.	Rs.02.589 lacs
06	Utilization for purchase of Farm/Fishing Net and Gears.	Rs.03.00 lacs
<b>Total:-</b>		<b>Rs. 196.00 lacs</b>

Regarding physical progress it is to mention that area being snowbound with limited working season available, only 90% work has been completed by the Executive Agency (PWD R&B Special Sub Division Marwah) on the components for which funds were already released to it.

The said Executing Agency has ensured to this office that the remaining 10% works will be completed soon. The moment, the agency completes the remaining 10% work of the said components, this office will place a demand for release of the remaining Rs.193.10 lacs from Directorate of Fisheries J&K and place the funds at the disposal of Executing agency for execution/completion of the project during the year 2024-25 and furnish a final utilization certificate to your office regarding Rs. 389.10 lacs released to Fisheries on completion thereof.

Yours faithfully

  
**Assistant Director Fisheries**  
 Implementing Officer CVPP  
 Funded Projects  
 District Kishtwar

Copy to the: -

1. Director Fisheries J&K Govt. Jammu for favour of kind information please
2. Joint Director Fisheries Chenab Valley Jammu for favour of kind information please.
3. The Chief General Manager Pakal Dul HEP Kishtwar for inf. please.



Department of Wildlife Protection, J&K Govt.  
**OFFICE OF THE WILDLIFE WARDEN**  
**CHENAB KISHTWAR DIVISION**

Forest Complex Sarkoot Kishtwar-182204.wildlife.protection.kishtwar@gmail.com



The General Manager  
 (I/c) HOP  
 Pakal Dul HE Project

No.: WLW-Ch/ktr/2024-25/145-46

Dated: - 08-05-2024

Subject: - Regarding utilization Certificate/Physical and Financial progress report of Wildlife Management Plan of Pakal Dul HE Project for FY 2023-24.

Ref.: - Your letter No. CVPP/PDHEP/GM (I/C) 2024-25/545 Dt. 27/04/2024.

Sir,

In response to your letter No. quoted in reference, it is to submit that the year-wise amount utilization against the funds released to this division by the higher authority (CAMPA Cell) under Mitigation Plan of Kishtwar High Altitude National Park (KHANP) from year 2020-21 to 2023-24 is as under: -

Year	Funds allotted (In lac)	Amount utilized (In lac)	Remarks
2020-21	919.15	383.00	Physical & Financial already submitted.
2021-22	1817.20	687.00	Physical & Financial already submitted.
2022-23	1322.25	407.00	Physical & Financial already submitted.
2023-24	903.10	382.862	Physical & Financial progress report enclosed.

Hence report is submitted for favour of information please.

Yours faithfully

(Chander Shekhar)SFS

Wildlife Warden

Chenab Division Kishtwar

> Copy submitted to the Regional Wildlife Warden Jammu for favour of information please.

Wildlife Warden

Chenab Division Kishtwar

## ISSUED BY MADHYA PRADESH

[ DHAR ARTO ]

## DISCLAIMER

REGISTRATION NO : TEMPREG



Printed Date: 28-10-2024 18:41:39

Application No.	MP24102683828282		
Applicant Name	CHIEF MEDICAL OFFICER, KISHTWAR		
Son/wife/daughter of	NA		
Ownership Type	LOCAL AUTHORITY		
Purchase Date	31-Jul-2024	Chassis No.	MC1D4DDA0RP104228
Engine No.	D72015043	Passport No.	
Pan No.		Aadhaar No.	
Voter Id.			
Full Address (Permanent)	DISTRICT ADMINISTRATIVE COMPLEX,, MINI SECRETRAIT, KISHTWAR,, KISHTWAR, JAMMU AND KASHMIR-182204		
Full Address (Temporary)	DISTRICT ADMINISTRATIVE COMPLEX,, MINI SECRETRAIT, KISHTWAR,, KISHTWAR- JAMMU AND KASHMIR-182204		
Dealer's Name, and Address	FORCE MOTORS LIMITED, PLOT NO 3, SECTOR NO 1 PITHAMPUR, INDUSTRIAL ESTATE, PITHAMPUR,		
Maker's Name	FORCE MOTORS LIMITED		
Maker's Classification	TRAX CRUISER AMBULANCE		
Sale Amount	Rs. 1399972/-	Registration Type	TEMPORARY REGISTERED VEHICLE
Norms	BHARAT STAGE VI	Month/Year of Manuf.	4/2024
Seating Cap.(inc. driver)	7	Standing Cap	0
Horse Power(BHP)	89.78	Cubic Capacity	2596.00
No of Cylinders	4	Wheel base	3050
Class of vehicle	AMBULANCE	Type of Body	BODY ON LADDER CHASSIS
Fuel used in engine	DIESEL	Colour	HARDTOP
Unladen Weight(in kgs)	2195	GVW(in kgs)	SNOW WHITE
AC Fitted	Y	Audio Fitted	3210
Video Fitted	N	Length (in mm)	N
Width (in mm)	1818	Height (in mm)	5120
Owner Serial No	1		2027

**Axle Details: Maximum axle weight and number and description of types (In case of Transport vehicle)**

	Description	Weight(in kgs)
a) Front	215/75 R15 LT	1175
b) Rear	215/75 R15 LT	2035
c) Other	0	
d) Tandem		0

**Insurance Details:** THIRD PARTY Insurance From NATIONAL INSURANCE CO LTD. vide policy certificate/covernote no. 421800312410001413 is valid from 06-Aug-2024 to 05-Aug-2025.

Date:

Signature of Acceptor After Particulars Verification

Note: The Registration is subject to Registering Authority Approval. In case of disapproval, Vehicle Registration Mark will not be valid

ISSUED BY MADHYA PRADESH

[ DHAR ARTO ]

DISCLAIMER

REGISTRATION NO : TEMPREG



Printed Date: 28-10-2024 18:40:28

Application No: MP24102863826646  
Applicant Name: CHIEF MEDICAL OFFICER KISHTWAR  
Son/wife/daughter of: NA  
Ownership Type: LOCAL AUTHORITY  
Purchase Date: 31-Jul-2024  
Engine No: D72014872  
Pan No:  
Voter Id:  
Full Address (Permanent): DISTRICT ADMINISTRATIVE COMPLEX, MINI SECRETRAIT, KISHTWAR, KISHTWAR, JAMMU AND KASHMIR-182204  
Full Address (Temporary): DISTRICT ADMINISTRATIVE COMPLEX, MINI SECRETRAIT, KISHTWAR, KISHTWAR, JAMMU AND KASHMIR-182204  
Dealer's Name and Address: FORCE MOTORS LIMITED, PLOT NO 3, SECTOR NO.1 PITHAMPUR, INDUSTRIAL ESTATE, PITHAMPUR,  
Maker's Name: FORCE MOTORS LIMITED  
Maker's Classification: TRAX CRUISER AMBULANCE  
Sale Amount: Ra. 1399972/-  
Registration Type: TEMPORARY REGISTERED VEHICLE  
Norms: BHARAT STAGE VI  
Month/Year of Manuf: 3/2024  
Seating Cap(inc. driver): 7  
Standing Cap: 0  
Horse Power(BHP): 69.78  
Cubic Capacity: 2596.00  
No of Cylinders: 4  
Wheel base: 3050  
Class of Vehicle: AMBULANCE  
Type of Body: BODY ON LADDER CHASSIS HARDTOP  
Fuel used in engine: DIESEL  
Colour: SNOW WHITE  
Unladen Weight(in kgs): 2195  
GVW(in kgs): 3210  
AC Fitted: Y  
Audio Fitted: N  
Video Fitted: N  
Length (in mm): 5120  
Width (in mm): 1818  
Height (in mm): 2027  
Owner Serial No: 1

**Axle Details: Maximum axle weight and number and description of types (In case of Transport vehicle)**

	Description	Weight(in kgs)
a) Front	215/75 R15 LT	1175
b) Rear	215/75 R15 LT	2035
c) Other	0	
d) Tandem		0

**Insurance Details:** THIRD PARTY Insurance From NATIONAL INSURANCE CO LTD vide policy certificate/covernote no 421800312410001412 is valid from 05-Aug-2024 to 05-Aug-2025.

Date

Signature of Acceptor After Particulars Verification

Note: The Registration is subject to Registering Authority Approval. In case of disapproval, Vehicle Registration Mark will not be valid.